## Amendments to the Claims:

1. (Currently amended) A compound having the formula:

$$R_2$$
 $R_3$ 
 $R_4$ 
 $R_5$ 
 $R_6$ 
 $R_6$ 

wherein:

 $R_1$  represents a radical selected from the group consisting of hydrogen, alkyl, halogen, and cyano;

R<sub>2</sub> represents a radical selected from the group consisting of hydrogen, a substituted or unsubstituted alkyl radical, a substituted or unsubstituted alkoxy group, hydroxy, cycloalkyl, cycloalkyloxy, polyfluoroalkyl, polyfluoroalkoxy, halogen, amino, monoalkylamino, dialkylamino, cyano, and a substituted or unsubstituted benzyloxy group, and a substituted or unsubstituted heterocyclic radical;

R<sub>3</sub> represents a radical selected from the group consisting of hydrogen, a substituted or unsubstituted alkyl radical, a substituted or unsubstituted alkoxy group, alkenyl, halogen, hydroxy, polyfluoroalkyl, polyfluoroalkoxy, formyl, carboxyl, alkylcarbonyl, alkoxycarbonyl, hydroxyalkylcarbonyl, amino, a substituted or unsubstituted monoalkylamino, dialkylamino, cyano, amido, alkoxyamido, a-substituted or unsubstituted heteroarylamino, acetylsulfonylamino, ureido, carboxamide, sulfonamide, a substituted sulfonamide, a-substituted or unsubstituted heterocyclosulfonyl, alkylthio, alkylsulfinyl, alkylsulfonyl, alkylsulfonic acid, a-substituted or unsubstituted heterocyclic-radical, and -O(CH<sub>2</sub>)-C(=0)-R<sub>7</sub>;

R<sub>4</sub> represents a radical selected from the group consisting of hydrogen, alkyl, halogen, and alkoxy;

 $R_5$  represents a radical selected from the group consisting of an alkyl ( $C_1$ - $C_6$ ) group, cycloalkyl, and cycloalkylalkyl;

R<sub>6</sub> represents a radical selected from the group consisting of a substituted or unsubstituted aryl group and a substituted or unsubstituted proup;

R<sub>7</sub> represents a radical selected from the group consisting of dialkylamino, a substituted or unsubstituted arylamino, a substituted or unsubstituted heteroarylamino, and a substituted or unsubstituted aryl group,

said monoalkylamino substituents being one or more radical(s) independently selected from the group consisting of cycloalkyl, hydroxy- and alkoxy, and a substituted or unsubstituted heterocyclic radical;

said arylamino substituents and said heteroarylamino substituents—being one or more radical(s) independently selected from an alkyl group and an alkoxycarbonyl;

said sulfonamide substituents being one or more radical(s) independently selected from the group consisting of alkenyl, cycloalkyl, alkoxy, hydroxy, halogen, polyfluoroalkyl, polyfluoroalkoxy, carboxyl, alkylcarbonyl, alkoxycarbonyl, carboxamide, and a substituted or unsubstituted aryl group, and a substituted or unsubstituted radical;

said-heterocyclosulfonyl substituents being one or more
radical(s) independently selected from the group consisting of
alkoxy and hydroxy;

said alkyl radical substituents and said alkoxy group substituents being one or more radical(s) independently selected from the group consisting of alkenyl, amino, monoalkylamino, dialkylamino, alkoxy, cycloalkyl, hydroxy, carboxyl, halogen, cyano, polyfluoroalkyl, polyfluoroalkoxy, sulfonamide, carboxamide, alkylsulfonyl, alkylcarbonyl, alkoxycarbonyl,

mercapto, 2,2 dimethyl 4 oxo 4H benzo[1,3]dioxinyl, and a substituted or unsubstituted aryl group, and a substituted or unsubstituted heterocyclic radical;

said heterocyclic radical substituents being one or more radical(s) independently selected from the group consisting of alkyl, amino, amido, monoalkylamino, cycloalkyl-alkylamino, dialkylamino, alkoxy, alkoxyalkyl, hydroxy, hydroxyalkyl, cycloalkyl, cycloalkylalkyl, carboxyl, carboxamide, halogen, haloalkyl, cyano, polyfluoroalkyl, polyfluoroalkoxy, alkylsulfonyl, alkylcarbonyl, cycloalkylcarbonyl, alkylcarbonyl, cycloalkylcarbonyl, alkoxycarbonyl, mercapto, oxo, a substituted or unsubstituted aryl group, arylalkyl, and a substituted or unsubstituted heteroaryl group;

said heteroaryl group substituents being one or more radical(s) independently selected from the group consisting of alkyl, amino, alkoxy, alkoxyalkyl, hydroxy, hydroxyalkyl, eycloalkyl, carboxyl, carboxamide, halogen, polyfluoroalkyl, polyfluoroalkoxy, alkylsulfonyl, mercapto, and oxo;

said benzyloxy group substituents being one or more radical(s) independently selected from the group consisting of alkyl, alkoxy, polyfluoroalkyl, polyfluoroalkoxy, hydroxy, carboxyl, alkoxycarbonyl, halogen, cyano, alkylsulfonyl, and phenyl;

said aryl group substituents being one or more radical(s) independently selected from the group consisting of alkyl, acetylenyl, alkoxy, hydroxy, halogen, polyfluoroalkyl, polyfluoroalkoxy, cyano, amino, monoalkylamino, dialkylamino, aminoalkyl, alkoxyalkoxy, amido, amidoalkyl, carboxyl, alkylsulfonyl, alkylcarbonyl, alkoxycarbonyl, and mercapto, and a heterocyclic radical; and pharmaceutically acceptable salts thereof;

with the proviso that said formula does not include the compounds selected from the group consisting of 5-methoxy-2-

phenyl-benzofuran-3-carboxylic acid methylamide and 5-hydroxy-2-phenyl-benzofuran-3-carboxylic acid methylamide.

## 2. (Currently amended) A compound having the formula:

$$R_{2}$$
 $R_{3a}$ 
 $R_{4}$ 
 $R_{5}$ 
 $R_{5}$ 
 $R_{5}$ 
 $R_{5}$ 

wherein:

 $R_1$  represents a radical selected from the group consisting of hydrogen, alkyl, halogen, and cyano;

R<sub>2</sub> represents a radical selected from the group consisting of hydrogen, a substituted or unsubstituted alkyl radical, a substituted or unsubstituted alkoxy group, hydroxy, cycloalkyl, cycloalkyloxy, polyfluoroalkyl, polyfluoroalkoxy, halogen, amino, monoalkylamino, dialkylamino, cyano, and a substituted or unsubstituted benzyloxy group, and a substituted or unsubstituted heterocyclic radical;

R<sub>3a</sub> represents a radical selected from the group consisting of a substituted or unsubstituted alkyl radical, a substituted or unsubstituted alkoxy group, alkenyl, halogen, hydroxy, polyfluoroalkyl, polyfluoroalkoxy, formyl, carboxyl, alkylcarbonyl, alkoxycarbonyl, hydroxyalkylcarbonyl, amino, a substituted or unsubstituted monoalkylamino, dialkylamino, cyano, amido, alkoxyamido, a-substituted or unsubstituted heteroarylamino, acetylsulfonylamino, ureido, carboxamide, sulfonamide, a substituted sulfonamide, a-substituted or unsubstituted heterocyclosulfonyl, alkylthio, alkylsulfinyl, alkylsulfonyl, alkylsulfonic acid, a-substituted or unsubstituted heterocyclic radical, and -O(CH<sub>2</sub>)-C(=O)-R<sub>7</sub>;

R<sub>4</sub> represents a radical selected from the group consisting of hydrogen, alkyl, halogen, and alkoxy;

 $R_5$  represents a radical selected from the group consisting of an alkyl ( $C_1$ - $C_6$ ) group, cycloalkyl, and cycloalkylalkyl;

R<sub>6</sub> represents a radical selected from the group consisting of a substituted or unsubstituted aryl group and a substituted or unsubstituted heteroaryl group;

R<sub>7</sub> represents a radical selected from the group consisting of dialkylamino, a substituted or unsubstituted arylamino, a substituted or unsubstituted heteroarylamino, and a substituted or unsubstituted aryl group,

said monoalkylamino substituents being one or more radical(s) independently selected from the group consisting of cycloalkyl, hydroxy-<u>and</u> alkoxy<del>, and a substituted or unsubstituted heterocyclic radical</del>;

said arylamino substituents and said heteroarylamino substituents being one or more radical(s) independently selected from an alkyl group and an alkoxycarbonyl;

said sulfonamide substituents being one or more radical(s) independently selected from the group consisting of alkenyl, cycloalkyl, alkoxy, hydroxy, halogen, polyfluoroalkyl, polyfluoroalkoxy, carboxyl, alkylcarbonyl, alkoxycarbonyl, carboxamide, and a substituted or unsubstituted aryl group, and a substituted or unsubstituted heterocyclic radical;

said heterocyclosulfonyl substituents being one or more
radical(s) independently selected from the group consisting of
alkoxy and hydroxy;

said alkyl radical substituents and said alkoxy group substituents being one or more radical(s) independently selected from the group consisting of alkenyl, amino, monoalkylamino, dialkylamino, alkoxy, cycloalkyl, hydroxy, carboxyl, halogen, cyano, polyfluoroalkyl, polyfluoroalkoxy, sulfonamide, carboxamide, alkylsulfonyl, alkylcarbonyl, alkoxycarbonyl,

mercapto, 2,2-dimethyl 4 oxo 4H benzo[1,3]dioxinyl, and a substituted or unsubstituted aryl group, and a substituted or unsubstituted heterocyclic radical;

said heterocyclic radical substituents being one or more radical(s) independently selected from the group consisting of alkyl, amino, amido, monoalkylamino, cycloalkyl-alkylamino, dialkylamino, alkoxy, alkoxyalkyl, hydroxy, hydroxyalkyl, cycloalkyl, cycloalkylalkyl, carboxyl, carboxamide, halogen, haloalkyl, cyano, polyfluoroalkyl, polyfluoroalkoxy, alkylsulfonyl, alkylcarbonyl, cycloalkylcarbonyl, alkylcarbonyl, cycloalkylcarbonyl, alkoxycarbonyl, mercapto, oxo, a substituted or unsubstituted aryl group, arylalkyl, and a substituted or unsubstituted heteroaryl group;

said heteroaryl group substituents being one or more radical(s) independently selected from the group consisting of alkyl, amino, alkoxy, alkoxyalkyl, hydroxy, hydroxyalkyl, cycloalkyl, carboxyl, carboxamide, halogen, polyfluoroalkyl, polyfluoroalkoxy, alkylsulfonyl, mercapto, and oxo;

said benzyloxy group substituents being one or more radical(s) independently selected from the group consisting of alkyl, alkoxy, polyfluoroalkyl, polyfluoroalkoxy, hydroxy, carboxyl, alkoxycarbonyl, halogen, cyano, alkylsulfonyl, and phenyl;

said aryl group substituents being one or more radical(s) independently selected from the group consisting of alkyl, acetylenyl, alkoxy, hydroxy, halogen, polyfluoroalkyl, polyfluoroalkoxy, cyano, amino, monoalkylamino, dialkylamino, aminoalkyl, alkoxyalkoxy, amido, amidoalkyl, carboxyl, alkylsulfonyl, alkylcarbonyl, alkoxycarbonyl, and mercapto, and a heterocyclic radical; and pharmaceutically acceptable salts thereof.

3. (Currently amended) A compound having the formula:

$$R_2$$
 $R_3$ 
 $R_4$ 
 $R_5$ 
 $R_{6a}$ 
 $R_{6a}$ 

## wherein:

 $R_1$  represents a radical selected from the group consisting of hydrogen, alkyl, halogen, and cyano;

R<sub>3</sub> represents a radical selected from the group consisting of hydrogen, a substituted or unsubstituted alkyl radical, a substituted or unsubstituted alkoxy group, alkenyl, halogen, hydroxy, polyfluoroalkyl, polyfluoroalkoxy, formyl, carboxyl, alkylcarbonyl, alkoxycarbonyl, hydroxyalkylcarbonyl, amino, a substituted or unsubstituted monoalkylamino, dialkylamino, cyano, amido, alkoxyamido, a substituted or unsubstituted heteroarylamino, acetylsulfonylamino, ureido, carboxamide, sulfonamide, a substituted sulfonamide, a substituted or unsubstituted heterocyclosulfonyl, alkylthio, alkylsulfinyl, alkylsulfonyl, alkylsulfonic acid, a substituted or unsubstituted heterocyclic radical, and -O(CH<sub>2</sub>)-C(=0)-R<sub>7</sub>;

R<sub>4</sub> represents a radical selected from the group consisting of hydrogen, alkyl, halogen, and alkoxy;

 $R_5$  represents a radical selected from the group consisting of an alkyl ( $C_1$ - $C_6$ ) group, cycloalkyl, and cycloalkylalkyl;

R<sub>6a</sub> represents a radical selected from the group consisting of a substituted aryl group and a substituted or unsubstituted heteroaryl group;

 $R_7$  represents a radical selected from the group consisting of dialkylamino, a substituted or unsubstituted arylamino, a substituted or unsubstituted heteroarylamino, and a substituted or unsubstituted aryl group,

said monoalkylamino substituents being one or more radical(s) independently selected from the group consisting of cycloalkyl, hydroxy-<u>and</u> alkoxy<del>, and a substituted or unsubstituted heterocyclic radical;</del>

said arylamino substituents and said heteroarylamino substituents—being one or more radical(s) independently selected from an alkyl group and an alkoxycarbonyl;

said sulfonamide substituents being one or more radical(s) independently selected from the group consisting of alkenyl, cycloalkyl, alkoxy, hydroxy, halogen, polyfluoroalkyl, polyfluoroalkoxy, carboxyl, alkylcarbonyl, alkoxycarbonyl, carboxamide, and a substituted or unsubstituted aryl group, and a substituted or unsubstituted radical;

said heterocyclosulfonyl-substituents being one or more
radical(s) independently selected from the group consisting of
alkoxy and hydroxy;

said alkyl radical substituents and said alkoxy group substituents being one or more radical(s) independently selected from the group consisting of alkenyl, amino, monoalkylamino, dialkylamino, alkoxy, cycloalkyl, hydroxy, carboxyl, halogen, cyano, polyfluoroalkyl, polyfluoroalkoxy, sulfonamide, carboxamide, alkylsulfonyl, alkylcarbonyl, alkoxycarbonyl, mercapto, 2,2-dimethyl 4-oxo-4H benzo[1,3]dioxinyl, and a

substituted or unsubstituted aryl group, and a substituted or unsubstituted heterocyclic radical;

said heterocyclic radical substituents being one or more radical(s) independently selected from the group consisting of alkyl, amino, amido, monoalkylamino, cycloalkyl-alkylamino, dialkylamino, alkoxy, alkoxyalkyl, hydroxy, hydroxyalkyl, cycloalkyl, cycloalkylalkyl, carboxyl, carboxamide, halogen, haloalkyl, cyano, polyfluoroalkyl, polyfluoroalkoxy, alkylsulfonyl, alkylcarbonyl, cycloalkylcarbonyl, alkylcarbonyl, cycloalkylcarbonyl, alkoxycarbonyl, mercapto, oxo, a substituted or unsubstituted aryl group, arylalkyl, and a substituted or unsubstituted heteroaryl group;

said heteroaryl group substituents being one or more radical(s) independently selected from the group consisting of alkyl, amino, alkoxy, alkoxyalkyl, hydroxy, hydroxyalkyl, eycloalkyl, carboxyl, carboxamide, halogen, polyfluoroalkyl, polyfluoroalkoxy, alkylsulfonyl, mercapto, and oxo;

said benzyloxy group substituents being one or more radical(s) independently selected from the group consisting of alkyl, alkoxy, polyfluoroalkyl, polyfluoroalkoxy, hydroxy, carboxyl, alkoxycarbonyl, halogen, cyano, alkylsulfonyl, and phenyl;

said aryl group substituents being one or more radical(s) independently selected from the group consisting of alkyl, acetylenyl, alkoxy, hydroxy, halogen, polyfluoroalkyl, polyfluoroalkoxy, cyano, amino, monoalkylamino, dialkylamino, aminoalkyl, alkoxyalkoxy, amido, amidoalkyl, carboxyl, alkylsulfonyl, alkylcarbonyl, alkoxycarbonyl, and mercapto, and a heterocyclic radical; and pharmaceutically acceptable salts thereof.

4. (Original) The compound according to claim 1, wherein  $R_5$  is methyl.

5. (Original) The compound according to claim 1, having the formula:

$$\begin{array}{c|c}
R_1 & O & CH_3 \\
R_3 & R_4 & IC
\end{array}$$

wherein  $R_1$ ,  $R_3$  and  $R_4$  are as defined previously and Alk is an alkyl group; and pharmaceutically acceptable salts thereof.

6. (Currently amended) A compound having the formula:

$$R_2$$
 $R_3$ 
 $R_4$ 
 $R_5$ 
 $R_6$ 

wherein:

 $R_1$  represents a radical selected from the group consisting of hydrogen, methyl, and chloro;

R2 represents a radical selected from the group consisting of hydrogen, methyl, ethyl, isopropyl, t-butyl, cyclopropyl, hydroxy, hydroxymethyl, methoxymethyl, methoxy, trifluoromethoxy, difluoromethoxy, cyclopropylmethoxy, carboxymethoxy, cyanomethoxy, cyano-methyl-methoxy, 1-hydroxymethyl-cyclopropylmethoxy, carbamoylmethoxy, methylcarbamoylmethoxy, diethylcarbamoylmethoxy, (4-ethoxycarbonyl-phenylcarbamoyl)-methoxy, tert-butoxycarbonylmethoxy, ethoxy, 2-methoxy-ethoxy, 2-chloro-ethoxy, 2-carboxyethoxy, 2,2,2-trifluoroethoxy, 1-(4-fluoro-phenyl)-ethoxy, 2-(4-fluoro-phenyl)-2-oxo-ethoxy, 2-(4-methoxy-phenyl)-2-oxo-ethoxy, propoxy, isopropoxy, 2-oxo-propoxy, 2-hydroxy-propoxy, 3-hydroxy-propoxy, 2-hydroxy-2-methyl-propoxy,

3-bromo-propoxy, 3-ethoxy-propoxy, butoxy, 2-hydroxy-2-methylbutoxy, cyclopentyloxy, allyloxy, cyano, chloro, fluoro, methanesulfonic acid, benzyloxy, 2-phenylbenzyloxy, 2difluoromethoxy-benzyloxy, 3-methoxy-benzyloxy, 3methoxycarbonyl-benzyloxy, 3-carboxy-benzyloxy, 3-cyanobenzyloxy, 4-methoxy-benzyloxy, 4-fluoro-benzyloxy, 4-cyanobenzyloxy, 4-methoxycarbonyl-benzyloxy, 4-carboxy-benzyloxy, 4carboxy-3-hydroxy-benzyloxy, 4-methanesulfonyl-benzyloxy, 3,4difluoro-benzyloxy, and 3,5-dimethoxy-benzyloxy, 2,2 dimethyl-4 oxo 4H benzo[1,3]dioxin 5 ylmethoxy, 2,2 dimethyl 4 oxo 4H benzo[1,3]dioxin 7-ylmethoxy, 2,2-dimethyl 4 oxo 4Hbenzo[1,3]dioxin-6-ylmethoxy, 3-chloromethyl-[1,2,4]thiadiazol-5-yloxy, 5-chloro-[1,2,4]thiadiazol-3-ylmethoxy, 5-chloro-[1,2,3]thiadiazol 4 ylmethoxy, 5 p tolyl [1,3,4]oxadiazol 2 ylmethoxy, 5-(3,5-dimethyl-isoxazol-4-yl)-[1,2,4]oxadiazol-3ylmethoxy, 5 (cyclopropylmethyl-amino) [1,2,4]thiadiazol 3 vlmethoxy, 5 tert butyl [1,2,4] oxadiazol 3 ylmethoxy, 5 (4 methoxy phenyl) - [1,2,4] oxadiazol 3 ylmethoxy, 5 diethylamino-[1,2,4]thiadiazol 3 ylmethoxy, [1,3,4]thiadiazol-2ylcarbamoylmethoxy, 3,5-dimethyl-isoxazol-4 yl, isoxazol-3vlmethoxy, 3,5 dimethyl-isoxazol-4 ylmethoxy, 5 methyl isoxazol-3 ylmethoxy, thiazol 2 ylmethoxy, thiazol-4-ylmethoxy, 2 methylthiazol-4-ylmethoxy, 1 thiazol-2-yl-ethoxy, thiazol-2ylcarbamoylmethoxy, (4,5-dimethyl-thiazol 2 ylcarbamoyl)methoxy, 4-chloro-1-methyl-1H-pyrazol-3-ylmethoxy, 2-pyrazol-1yl ethoxy, 2-(3,5 dimethyl-pyrazol 1 yl) ethoxy, 4ethoxycarbonyl thiazol 2 ylmethoxy, 4-carboxy-thiazol 2ylmethoxy, 5 amino 4H [1,2,4]triazol 3 ylmethoxy, thiophen 2 yl, furan 2 yl, 2 morpholin 4 yl ethoxy, 3 piperidin 1 yl propoxy, tetrahydro-furan-2-yl, 1-methyl 1H-tetrazol-5 ylmethoxy, 1methyl-1H-imidazol-2-ylmethoxy, 1 benzyl-1H-imidazol-2ylmethoxy, 3H imidazol 4 ylmethoxy, pyridine 4 yl methoxy, 6bromomethyl pyridin 2 ylmethoxy; and 2 (4 cyano piperidin 1 yl) ethoxy;

R<sub>3</sub> represents a radical selected from the group consisting of hydrogen, methyl, methoxy, hydroxy, hydroxymethyl, 1-hydroxyethyl, 1-hydroxy-2-methyl-propyl, 1-hydroxy-1-methyl-ethyl, formyl, ureido, vinyl, bromo, chloro, cyano, acetyl, 2-hydroxyacetyl, carboxy, azetidin 1 yl, carboxylic acid amide, amino, methylamino, dimethylamino, ethylamino, diethylamino, isopropylamino, tert-butylamino, ethyl-methyl-amino, 2-methoxyethylamino, cyclopropylmethyl-amino, 2,3-dihydroxy-propylamino, 1-methylamino-ethyl, dimethylaminomethyl, 1-amino-1-methylethyl, 2-amino-1-hydroxy-1-methyl-ethyl, acetylamino, 1acetylamino-1-methyl-ethyl, (2-methoxy-ethyl)-methyl-amino, ethyl-(2-methoxy-acetyl)-amino, 3-chloro-propane-1sulfonylamino, methanesulfonylamino, ethyl-methanesulfonylamino, isopropyl-methanesulfonyl-amino, isobutylmethanesulfonyl-amino, cyclobutyl-methanesulfonyl-amino, cyclopentyl-methanesulfonyl-amino, cyclopropylmethylmethanesulfonyl-amino, (2-hydroxy-ethyl)-methanesulfonyl-amino, (2-hydroxy-propyl)-methanesulfonyl-amino, (2-fluoro-ethyl)methanesulfonyl-amino, 2-(4-fluoro-phenyl)-2-hydroxy-ethyl]methanesulfonyl-amino, (1-hydroxymethyl-cyclopropylmethyl)methanesulfonyl-amino, (4-carboxy-benzyl)-methanesulfonyl-amino, allyl-methanesulfonyl-amino, acetyl-methanesulfonyl-amino, benzyl-methanesulfonyl-amino, carboxymethyl-methanesulfonylamino, methanesulfonylamino-methyl, 1-methanesulfonylamino-1methyl-ethyl, methanesulfonyl-methyl-amino, 1-(methanesulfonylmethyl-amino)-ethyl, methanesulfonyl-propyl-amino, methanesulfonyl-(2-methoxy-ethyl)-amino, methanesulfonyl-(2,2,2trifluoro-ethyl)-amino, methanesulfonyl-(2-oxo-propyl)-amino, methanesulfonyl-(2-trifluoromethoxy-ethyl)-amino, methanesulfonyl-(4-methoxy-benzyl)-amino, methanesulfonyl-(4methoxycarbonyl-benzyl)-amino, methanesulfonyl-methoxymethyl-

amino, methanesulfonyl-methylcarbamoylmethyl-amino, (methanesulfonyl-methyl-amino)-methyl, sulfamoyl, methylsulfamoyl, dimethylsulfamoyl, ethylsulfamoyl, cyclopropylsulfamoyl, cyclobutylsulfamoyl, 3-methanesulfonylphenyl, 4-methanesulfonyl-phenyl, and benzyloxy, 1H pyrazol 4v1, 2H-pyrazol 3 yl, 1 methyl 1H-pyrazol 3 yl, 2 methyl 2Hpyrazol 3 yl, 5 methyl 1H pyrazol 4 yl, 5 methyl 2H pyrazol 3yl, 1,5 dimethyl 1H pyrazol 3 yl, 2,5 dimethyl 2H pyrazol 3 yl, 2,5 dimethyl 2H pyrazol 3 ylamino, 3,5 dimethyl 1H pyrazol 4 yl, 1,3,5 trimethyl 1H pyrazol 4 yl, isoxazol 3 yl, 5 methylisoxazol-3-yl, 3-cyclopropyl-isoxazol-5-yl, 5-cyclopropylisoxazol 3-yl, 3,5-dimethyl-isoxazol 4-yl, 3,5-dimethylisoxazol 4-ylamino, 5-methoxymethyl-isoxazol 3-yl, 5ethoxymethyl-isoxazol-3-yl, 5 isopropoxymethyl-isoxazol-3-yl, 5 hydroxymethyl isoxazol 3 yl, 4 (2 hydroxy ethyl) isoxazol 3 yl, 3 methoxymethyl-5 methyl isoxazol 4-yl, 5-methoxymethyl-3methyl isoxazol 4 yl, 5 cyclopropyl 3 methoxymethyl isoxazol 4y1,-3 cyclopropyl 5-methoxymethyl-isoxazol 4-yl, (3,5-dimethylisoxazol-4-ylmethyl)-methanesulfonyl amino, 3-metho-xymethylisoxazol 5 yl), 3 methyl isoxazol 5 yl, methanesulfonyl (5methyl isoxazol 3 ylmethyl) amino, thiazol 2 yl, thiazol 5 yl, methanesulfonyl-thiazol-2-ylmethyl-amino, methanesulfonylthiazol 4 ylmethyl amino, methanesulfonyl (2 methyl thiazol 4ylmethyl) -amino, (4-carboxy-thiazol-2-ylmethyl) -methanesulfonyl amino, -(4-ethoxycarbonyl-thiazol 2 ylmethyl)-methanesulfonylamino, pyridin 3 yl, pyridin 4 yl, pyridin 4 ylamino, 6 fluoropyridin 3 yl, methanesulfonyl pyridin 4 ylmethyl amino, (6 bromomethyl-pyridin-2-ylmethyl)-methanesulfonyl-amino, pyrrolidin 1 yl, pyrrolidin 2 yl, pyrrolidine 1 sulfonyl, 3hydroxy pyrrolidin 1 yl, 3 hydroxy pyrrolidine 1 sulfonyl, 5 oxo pyrrolidin 3 yl, 1 acetyl pyrrolidin 2 yl, 1 acetylpyrrolidin 3 yl, 1 carbamoyl pyrrolidin 2 yl, 1 methylcarbamoyl pyrrolidin 2 yl, 4 methylcarbamoyl 5 oxo pyrrolidin 3 yl, 1

cyclopropanecarbonyl pyrrolidin 2 yl, 1 methanesulfonylpyrrolidin 2 yl, 1 methanesulfonyl pyrrolidin 3 yl, 3 amino pyrrolidin-1-yl, 3-methanesulfonyl-pyrrolidin-1-yl, 1H pyrrol-2yl, 1H pyrrol-3-yl, 3-cyano-4-hydroxy-2-oxo-2,5 dihydro-pyrrol-1 ylmethyl, furan 2 yl, furan 3 yl, (furan 3 ylmethyl) amino, tetrahydro-furan-3 yl, (tetrahydro furan 2 ylmethyl) amino, [1,3,4]oxadiazol-2-yl, [1,2,4]oxadiazol-3-yl, 5 methyl-[1,2,4]oxadiazol 3 yl, 5 methyl [1,3,4]oxadiazol 2 yl, 5 trifluoromethyl [1,2,4]oxadiazol 3 yl, morpholin 4 yl, 2,6 dimethyl morpholin 4 yl, 2 morpholin 4 yl ethylamino, morpholine-4-sulfonyl, methanesulfonyl-(2-morpholin-4-yl-ethyl) amino, thiomorpholin 4 yl, thiomorpholine 4 sulfonyl, 1 охоthiomorpholin 4-yl, 1,1-dioxido-isothiazolidin 2-yl, 2-oxooxazolidin-5-yl, 5-methyl-2 oxo oxazolidin-5-yl, oxazol-5-yl, 1H-imidazol 4-yl, 1H-imidazol 2-yl, 2,5-dioxo imidazolidin-4-yl, 4 methyl-2,5 dioxo-imidazolidin-4-yl, pyrimidin-5-yl, 2,5dimethyl-2H [1,2,4]triazol 3 yl, 2 methyl 2H [1,2,4]triazol 3yl, 4H [1,2,4]triazol 3 yl, 5 methyl 2H [1,2,4]triazol 3 yl, 1H tetrazol 5-yl, 1 methyl-1H-tetrazol 5-ylmethoxy, methanesulfonyl (1 methyl 1H tetrazol 5 ylmethyl) amino, piperidin-1-yl, 4-fluoro-piperidin-1-yl, 4,4-difluoro-piperidin-1-yl, 3-hydroxy piperidin 1-yl, 4-hydroxy piperidin 1-yl, 4hydroxy piperidine 1 sulfonyl, 4 carbamoyl piperazin 1 yl, 4methyl piperazin 1 yl, and 5 chloro [1,2,4] thiadiazol 3 ylmethyl;

 $R_4$  represents a radical selected from the group consisting of hydrogen and methyl;

 $R_5$  represents a radical selected from the group consisting of methyl, ethyl, isopropyl, and cyclopropyl; and

R<sub>6</sub> represents a radical selected from the group consisting of phenyl, 4-methyl-phenyl, 4-ethyl-phenyl, 4-methoxy-phenyl, 4-hydroxy-phenyl, 4-bromo-phenyl, 2-chloro-phenyl, 2-fluoro-phenyl, 4-fluoro-phenyl, 2,4-difluoro-phenyl, 3,4-difluoro-

phenyl, 4-bromo-3-fluoro-phenyl, 3-chloro-4-fluoro-phenyl, 4-chloro-3-fluoro-phenyl, 2,4,5-trifluoro-phenyl, 3-fluoro-4-methyl-phenyl, 4-fluoro-3-methyl-phenyl, 4-fluoro-3-hydroxy-phenyl, 2-ethoxy-4-fluoro-phenyl, 3-trifluoromethyl-phenyl, 4-trifluoromethyl-phenyl, 4-cyano-phenyl, 4-amino-phenyl, and 4-(acetylamino-methyl)-phenyl, 4-morpholin-4-yl-phenyl, 4-phenyl, 4-pyrrolidin-1-yl-phenyl, furan-2-yl, furan-3-yl, 3-methyl-furan-2-yl, thiophen-2-yl, 5-chloro-thiophen-2-yl, pyridin-4-yl, and pyridin-3-yl;

with the proviso that said formula does not include the compounds selected from the group consisting of 5-methoxy-2-phenyl-benzofuran-3-carboxylic acid methylamide and 5-hydroxy-2-phenyl-benzofuran-3-carboxylic acid methylamide.

- 7. (Currently amended) The compound according to claim 1, selected from the group consisting of:
- 2-furan 3 yl-5-methoxy-benzofuran 3-carboxylic-acid methylamide; 2-phenyl-5-trifluoromethoxy-benzofuran-3-carboxylic acid methylamide;
- 2-(3,4-difluoro-phenyl)-5-methoxy-benzofuran-3-carboxylic acid methylamide;
- 2-[4-(acetylamino-methyl)-phenyl]-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
- 2-(4-hydroxy-phenyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
- 2-(4 fluoro-phenyl) 5 isopropoxy-6-pyrrolidin-1-yl-benzofuran-3-carboxylic acid-methylamide;
- 5-difluoromethoxy-2-(4-fluoro-phenyl)-benzofuran-3-carboxylic acid methylamide;
- 2-(4-fluoro-phenyl)-5-isopropoxy-6-(2-methoxy-ethylamino)-benzofuran-3-carboxylic acid methylamide;
- 5-methyl-2-phenyl-benzofuran-3-carboxylic acid methylamide;

```
5-methyl-2-(4-fluoro-phenyl)benzofuran-3-carboxylic acid
methylamide;
2-phenyl-5-(2,2,2-trifluoro-ethoxy)-benzofuran-3-carboxylic acid
methylamide;
2-(4-fluoro-phenyl)-5-methoxy-benzofuran-3-carboxylic acid
methylamide;
6-bromo-2-(4-fluoro-phenyl)-5-methoxy-benzofuran-3-carboxylic
acid methylamide;
5-methoxy-6-methyl-2-phenyl-benzofuran-3-carboxylic acid
methylamide;
6 (3 amino-pyrrolidin-1 yl) 2 (4 fluoro-phenyl) 5 isopropoxy-
2,3 dihydro benzofuran 3 carboxylic acid methylamide;
6-amino-2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3-carboxylic
acid methylamide;
6-amino-2-(4-fluoro-phenyl)-5-methoxy-benzofuran-3-carboxylic
acid methylamide;
6-acetylamino-2-(4-fluoro-phenyl)-5-methoxy-benzofuran-3-
carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-methylamino-benzofuran-3-
carboxylic acid methylamide;
6-dimethylamino-2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3-
carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy- 6-methanesulfonylamino-
benzofuran-3-carboxylic acid methylamide;
6-ethylamino-2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3-
carboxylic acid methylamide;
6-diethylamino-2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3-
carboxylic acid methylamide;
2 (4 fluoro-phenyl) 5 isopropoxy 6 morpholin 4 yl benzofuran 3
carboxylic acid methylamide;
5-methoxy-4-methyl-2-phenyl-benzofuran-3-carboxylic acid
methylamide;
5-cyano-2-phenyl-benzofuran-3-carboxylic acid methylamide;
```

```
5 isopropoxy 2 pyridin 4 yl benzofuran 3 carboxylic acid
methylamide;
6 (3,5-dimethyl isoxazol 4 yl) 2 (4 fluoro phenyl) 5 methoxy
benzofuran 3 carboxylic-acid-methylamide;
2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-5-methoxy-
benzofuran-3-carboxylic acid methylamide;
2 (4 fluoro phenyl) 5 (4 methoxy benzyloxy) 6 morpholin 4 yl-
benzofuran 3 carboxylic acid-methylamide;
2-(4-fluoro-phenyl)-6-[methanesulfonyl-(4-methoxy-benzyl)-
amino]-5-(4-methoxy-benzyloxy)-benzofuran-3-carboxylic acid
methylamide;
5-ethoxy-6-(ethyl-methanesulfonyl-amino)-2-(4-fluoro-phenyl)-
benzofuran-3-carboxylic acid methylamide;
2 (4 fluoro phenyl) 6 morpholin 4 yl-5 (thiazol 2 ylmethoxy)
benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-[methanesulfonyl-(2-oxo-
propyl)-amino]-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl) 6-morpholin-4-yl-5-(thiazol-4-ylmethoxy)-
benzofuran 3 carboxylic acid methylamide;
2 (4 fluoro phenyl)-5-isopropoxy-6 (methanesulfonyl-thiazol-4-
ylmethyl-amino)-benzofuran-3 carboxylic acid methylamide;
2 (4 fluoro-phenyl)-6-(5-hydroxymethyl-isoxazol-3-yl)-5-
isopropoxy benzofuran-3-carboxylic acid methylamide;
5-ethoxy-2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-
benzofuran-3-carboxylic acid methylamide;
4-[2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-3-
methylcarbamoyl-benzofuran-5-yloxymethyl]-2-hydroxy-benzoic
acid;
2 (4 fluoro phenyl) 6 (5 hydroxymethyl isoxazol 3 yl) 5 methoxy
benzofuran-3-carboxylic-acid methylamide;
2 (4-fluoro-phenyl) 6 [4-(2-hydroxy-ethyl)-isoxazol-3-yl]-5-
methoxy-benzofuran 3 carboxylic acid methylamide;
```

```
2-(4-fluoro-phenyl)-6-[(2-hydroxy-ethyl)-methanesulfonyl-amino]-
5-methoxy-benzofuran-3-carboxylic acid methylamide;
5-cyclopropy1-2-(4-fluoro-phenyl)-6-[(2-hydroxy-ethyl)-
methanesulfonyl-amino]-benzofuran-3-carboxylic acid methylamide;
5-ethyl-2-(4-fluoro-phenyl)-6-methanesulfonylamino-benzofuran-3-
carboxylic acid methylamide;
5-ethyl-2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-
benzofuran-3-carboxylic acid methylamide;
5-ethyl-2-(4-fluoro-phenyl)-6-[(2-hydroxy-ethyl)-
methanesulfonyl-amino]-benzofuran-3-carboxylic acid methylamide;
6-(1-acetyl-pyrrolidin-2-yl) 2 (4-fluoro-phenyl) 5-methoxy-
benzofuran 3 carboxylic acid methylamide;
2 (4 fluoro-phenyl) -5-methoxy 6-(2-oxo-oxazolidin-5-yl)-
benzofuran 3 carboxylic-acid methylamide;
2-(4-fluoro-phenyl)-6-(1-hydroxy-1-methyl-ethyl)-5-methoxy-
benzofuran-3-carboxylic acid methylamide;
2 (4-fluoro-phenyl) 5-methoxy-6-(5-methyl [1,2,4]oxadiazol-3-
y1) benzofuran-3 carboxylic-acid methylamide;
6 (3,5 dimethyl isoxazol 4 yl) 2 (4 fluoro phenyl) 5 (3 hydroxy
propoxy) benzofuran 3 carboxylic acid methylamide;
2 (4-fluoro phenyl)-6-(methanesulfonyl-methyl-amino)-5-(2-
morpholin 4 yl ethoxy) benzofuran-3 carboxylic acid methylamide;
5-(biphenyl-2-ylmethoxy)-2-phenyl-benzofuran-3-carboxylic acid
methylamide;
5-methoxy-2-(4-methoxy-phenyl)-benzofuran-3-carboxylic acid
methylamide;
5-methoxy-2-(3-trifluoromethyl-phenyl)-benzofuran-3-carboxylic
acid methylamide;
5-methoxy-2-(4-trifluoromethyl-phenyl)-benzofuran-3-carboxylic
acid methylamide;
5-ethoxy-2-phenyl-benzofuran-3-carboxylic acid methylamide;
2-(2-fluoro-phenyl)-5-methoxy-benzofuran-3-carboxylic acid
methylamide;
```

```
5-isopropoxy-2-phenyl-benzofuran-3-carboxylic acid methylamide;
5-butoxy-2-phenyl-benzofuran-3-carboxylic acid methylamide;
2-phenyl-5-propoxy-benzofuran-3-carboxylic acid methylamide;
5-methoxy-2-(2,4,5-trifluoro-phenyl)-benzofuran-3-carboxylic
acid methylamide;
5-methoxy-7-methyl-2-phenyl-benzofuran-3-carboxylic acid
methylamide;
2-(4-fluoro-phenyl)-5-(2,2,2-trifluoro-ethoxy)-benzofuran-3-
carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3-carboxylic acid
methylamide;
2-(2-chloro-phenyl)-5-methoxy-benzofuran-3-carboxylic acid
methylamide;
6-methoxy-2-phenyl-benzofuran-3-carboxylic acid methylamide;
2 furan-2-yl 5 methoxy benzofuran 3-carboxylic acid methylamide;
2-(3-fluoro-4-methyl-phenyl)-5-methoxy-benzofuran-3-carboxylic
acid methylamide;
2-(4-bromo-phenyl)-5-methoxy-benzofuran-3-carboxylic acid
methylamide;
2-(4-fluoro-3-methyl-phenyl)-5-methoxy-benzofuran-3-carboxylic
acid methylamide;
2-(4-fluoro-pheny1)-5-methoxy-7-methyl-benzofuran-3-carboxylic
acid methylamide;
5-chloro-2-(4-fluoro-phenyl)-benzofuran-3-carboxylic acid
methylamide;
5-tert-buty1-2-phenyl-benzofuran-3-carboxylic acid methylamide;
5-chloro-2-p-tolyl-benzofuran-3-carboxylic acid methylamide;
2-(3-chloro-4-fluoro-phenyl)-5-methoxy-benzofuran-3-carboxylic
acid methylamide;
2-(4-chloro-3-fluoro-phenyl)-5-methoxy-benzofuran-3-carboxylic
acid methylamide;
5-methoxymethyl-2-phenyl-benzofuran-3-carboxylic acid
methylamide;
```

```
2-(4-fluoro-phenyl)-5-isopropoxy-6-methyl-benzofuran-3-
carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-7-methyl-benzufuran-3-
carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-methoxy-6-methyl-benzofuran-3-carboxylic
acid methylamide;
5-fluoro-2-(4-fluoro-phenyl)-benzofuran-3-carboxylic acid
methylamide;
2-(4-ethyl-phenyl)-5-fluoro-benzofuran-3-carboxylic acid
methylamide;
5-ethyl-2-phenyl-benzofuran-3-carboxylic acid methylamide;
2-(5-chloro-thiophen 2-yl)-5 methoxy-benzofuran-3-carboxylic
acid methylamide;
5-isopropyl-2-phenyl-benzofuran-3-carboxylic acid methylamide;
2-(5-chloro-thiophen 2-yl)-5-ethoxy benzofuran-3-carboxylic acid
methylamide;
5 methoxy 2 thiophen 2 yl benzofuran 3 carboxylic acid
methylamide;
5-chloro-2-pyridin-3-yl-benzofuran 3-carboxylic-acid
methylamide;
2-(4-bromo-3-fluoro-phenyl)-5-isopropoxy-benzofuran-3-carboxylic
acid methylamide;
2-(2,4-difluoro-phenyl)-5-isopropoxy-benzofuran-3-carboxylic
acid methylamide;
6-bromo-2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3-carboxylic
acid methylamide;
5 methoxy 2 (4 morpholin 4 yl phenyl) benzofuran 3 carboxylic
acid methylamide;
5,6-dimethoxy-2-phenyl-benzofuran-3-carboxylic acid methylamide;
5 isopropoxy 2 (4 pyrrolidin 1 yl phenyl) benzofuran 3
earboxylic acid methylamide;
5 fluoro 2 pyridin 4-yl-benzofuran 3 carboxylic acid
methylamide;
```

```
2-[2-(4-fluoro-phenyl)-6-methyl-3-methylcarbamoyl-benzofuran-5-yloxy]-propionic acid;
```

- 6-acetylamino-2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
- 2-(4-amino-phenyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
- 2 (4 fluoro-phenyl) 5-isopropoxy-6-(2 morpholin 4-yl-ethylamino) benzofuran 3-carboxylic acid methylamide;
- 2 (4 fluoro phenyl) 5 isopropoxy 6 piperidin 1 yl benzofuran 3 carboxylic acid methylamide;
- 2-(4-fluoro-phenyl)-5,6-dimethoxy-benzofuran-3-carboxylic acid methylamide;
- 2-(4-fluoro phenyl) 5-methoxy-6-morpholin-4-yl-benzofuran-3-carboxylic acid methylamide;
- 2-(4-bromo-phenyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
- 2-(4-fluoro-3-hydroxy-phenyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
- 2-(4-cyano-phenyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
- 5 methoxy-2-pyridin-4-yl-benzofuran 3 carboxylic-acid
  methylamide;
- 2 (4 fluoro phenyl) 5 isopropoxy 6 (3 methanesulfonylpyrrolidin 1-yl) benzofuran 3-carboxylic acid methylamide;
  6 azetidin 1-yl 2 (4 fluoro phenyl) 5 isopropoxy benzofuran 3carboxylic acid methylamide;
- 2-(4-fluoro-phenyl) 6 (3 hydroxy pyrrolidin-1-yl) 5-isopropoxy-benzofuran 3 carboxylic acid methylamide;
- 2-(4-fluoro-phenyl)-5-isopropoxy-6-(methanesulfonyl-methyl-amino)-benzofuran-3-carboxylic acid methylamide;
- 2-(4-fluoro-phenyl)-6-[(furan-3-ylmethyl)-amino]-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;

```
6-(2,3-dihydroxy-propylamino)-2-(4-fluoro-phenyl)-5-isopropoxy-
benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-isopropylamino-benzofuran-3-
carboxylic acid methylamide;
6-(cyclopropylmethyl-amino)-2-(4-fluoro-phenyl)-5-isopropoxy-
benzofuran-3-carboxylic acid methylamide;
2 (4 fluoro phenyl) 5 methoxy 6 pyrrolidin 1 yl benzofuran 3
carboxylic acid methylamide;
5 benzyloxy-2 (4 fluoro phenyl) 6-morpholin-4-yl-benzofuran-3
carboxylic acid methylamide;
5-hydroxymethyl-2-phenyl-benzofuran-3-carboxylic acid
methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-[(2-methoxy-ethyl)-methyl-
amino]-benzofuran-3-carboxylic acid methylamide;
6-amino-5-benzyloxy-2-(4-fluoro-phenyl)-benzofuran-3-carboxylic
acid methylamide;
5 isopropoxy 2 (3 methyl furan 2-yl) benzofuran 3 carboxylic
acid methylamide;
2-(4-fluoro-phenyl)-6-methanesulfonylamino-5-methoxy-benzofuran-
3-carboxylic acid methylamide;
2-(4 fluoro-phenyl) 5-isopropoxy 6 [(tetrahydro-furan-2-
ylmethyl) amino] benzofuran 3 carboxylic acid methylamide;
2 (4 fluoro phenyl) 5 hydroxy 6 morpholin 4 yl benzofuran 3-
earboxylic acid methylamide;
5-cyclopropylmethoxy-2-(4 fluoro phenyl)-6-morpholin-4-yl-
benzofuran-3-carboxylic acid methylamide;
6-chloro-2-(4-fluoro-phenyl)-5-methoxy-benzofuran-3-carboxylic
acid methylamide;
6 (2,5 dimethyl-2H pyrazol-3 ylamino) 2 (4 fluoro phenyl) 5-
isopropoxy benzofuran 3 carboxylic acid methylamide;
2 (4 fluoro phenyl) 6 morpholin 4 yl 5 (pyridin 4 ylmethoxy)
benzofuran 3 carboxylic acid methylamide;
```

```
6-cyano-2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3-carboxylic
acid methylamide;
5-methoxy-2-phenyl-benzofuran-3-carboxylic acid ethylamide;
2 (4 fluoro phenyl) 5 isopropoxy 6 (pyridin 4 ylamino)
benzofuran 3 carboxylic acid methylamide;
2 (4-fluoro-phenyl) 5-isopropoxy-6-(4-methyl-piperazin-1-yl)-
benzofuran 3 carboxylic-acid-methylamide;
6-(3-chloro-propane-1-sulfonylamino)-2-(4-fluoro-phenyl)-5-
isopropoxy-benzofuran-3-carboxylic acid methylamide;
6 (1,1-dioxido isothiazolidin 2 yl) 2 (4 fluoro phenyl) 5
isopropoxy benzofuran 3 carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-ureido-benzofuran-3-
carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-(isopropyl-methanesulfonyl-
amino)-benzofuran-3-carboxylic acid methylamide;
6-(cyclopropylmethyl-methanesulfonyl-amino)-2-(4-fluoro-phenyl)-
5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
6-(2,6-dimethyl-morpholin-4-yl)-2-(4-fluoro-phenyl)-5-
isopropoxy benzofuran 3 carboxylic acid methylamide;
2 (4 fluoro phenyl) 5 isopropoxy 6 (1H tetrazol 5 yl)-
benzofuran-3-carboxylic acid methylamide;
2 (4 fluoro phenyl) 6 (4 hydroxy piperidin 1 yl) 5 isopropoxy
benzofuran-3-carboxylic acid methylamide;
2 (4 fluoro phenyl) 6 (3 hydroxy piperidin 1 yl) 5 isopropoxy
benzofuran 3 carboxylic acid methylamide;
2 (4 fluoro phenyl) 5 isopropoxy 6 (morpholine 4 sulfonyl)
benzofuran-3-carboxylic acid-methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-methylsulfamoyl-benzofuran-3-
carboxylic acid methylamide;
6-dimethylsulfamoyl-2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-
3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-(propane-2-sulfonylamino)-
benzofuran-3-carboxylic acid methylamide;
```

```
2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3,6-dicarboxylic
acid 6-amide 3-methylamide;
2 (4 fluoro phenyl) 5 isopropoxy 6 pyrimidin 5 yl-benzofuran 3
carboxylic acid methylamide;
6-tert-butylamino-2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3-
carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-sulfamoyl-benzofuran-3-
carboxylic acid methylamide;
6-cyclobutylsulfamoyl-2-(4-fluoro-phenyl)-5-isopropoxy-
benzofuran-3-carboxylic acid methylamide;
2 (4 fluoro phenyl) 6-furan-2-yl-5-isopropoxy benzofuran-3
carboxylic acid methylamide;
2 (4 fluoro phenyl) 6 furan 3 yl-5 isopropoxy benzofuran 3
carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy 6-pyridin 3-yl-benzofuran-3-
earboxylic acid methylamide;
2 (4 fluoro phenyl) 5 isopropoxy 6 (pyrrolidine 1 sulfonyl)
benzofuran-3 carboxylic acid methylamide;
6-cyclopropylsulfamoyl-2-(4-fluoro-phenyl)-5-isopropoxy-
benzofuran-3-carboxylic acid methylamide;
6-ethylsulfamoyl-2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3-
carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-vinyl-benzofuran-3-carboxylic
acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-methoxy-benzofuran-3-
carboxylic acid methylamide;
6 (3,5 dimethyl isoxazol 4 yl) 2 (4 fluoro phenyl) 5 isopropoxy
benzofuran-3-carboxylic-acid-methylamide;
2-(4-fluoro-phenyl)-6-formyl-5-isopropoxy-benzofuran-3-
carboxylic acid methylamide;
2 (4 fluoro phenyl) 6 (6 fluoro pyridin 3 yl) 5 isopropoxy
benzofuran 3 carboxylic acid methylamide;
```

```
2-(4-fluoro-phenyl)-5-isopropoxy-6-(methanesulfonylamino-
methyl)-benzofuran-3-carboxylic acid methylamide;
6-(cyclopentyl-methanesulfonyl-amino)-2-(4-fluoro-phenyl)-5-
isopropoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-[(2-hydroxy-ethyl)-methanesulfonyl-amino]-
5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-hydroxy-6-methoxy-benzofuran-3-carboxylic
acid methylamide;
5-ethoxy-2-(4-fluoro-phenyl)-6-morpholin-4-yl-benzofuran-3-
carboxylic acid methylamide;
5 (4 fluoro benzyloxy) 2 (4 fluoro phenyl) 6 morpholin 4 yl-
benzofuran-3-carboxylic-acid-methylamide;
2 (4 fluoro-phenyl) 5 isopropoxy 6 oxazol 5 yl benzofuran 3
carboxylic acid methylamide;
2 (4 fluoro phenyl) 6 (4 hydroxy piperidine 1 sulfonyl) 5-
isopropoxy benzofuran 3 carboxylic acid methylamide;
6-(4,4-difluoro-piperidin-1-yl)-2-(4-fluoro-phenyl)-5-
isopropoxy-benzofuran-3-carboxylic acid methylamide;
2 (4 dluoro phenyl) 6 (4 fluoro piperidin 1 yl) 5 isopropoxy-
benzofuran-3 carboxylic acid methylamide;
5 difluoromethoxy 2 (4 fluoro phenyl) 6 morpholin 4 yl
benzofuran-3-carboxylic acid-methylamide;
5 cyclopentyloxy 2 (4 fluoro phenyl) 6 morpholin 4 yl-
benzofuran 3 carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-hydroxy-6-methanesulfonylamino-benzofuran-
3-carboxylic acid methylamide;
2-(4-fluoro-phenyl) 5-isopropoxy-6 (thiomorpholine-4-sulfonyl)-
benzofuran 3 carboxylic acid methylamide;
2 (4 fluoro phenyl) 6 (3 hydroxy pyrrolidine 1 sulfonyl) 5-
isopropoxy benzofuran 3 carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-pyridin-4-yl-benzofuran-3-
carboxylic acid methylamide;
```

```
2-(4-fluoro-phenyl)-5-isopropoxy-6-(3-methanesulfonyl-phenyl)-
benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-(4-methanesulfonyl-phenyl)-
benzofuran-3-carboxylic acid methylamide;
5 (2 chloro ethoxy) 2 (4 fluoro phenyl) 6 morpholin 4 yl
benzofuran 3 carboxylic acid methylamide;
6-benzyloxy-2-(4-fluoro-phenyl)-5-methoxy-benzofuran-3-
carboxylic acid methylamide;
6-amino-2-(4-fluoro-phenyl)-5-hydroxy-benzofuran-3-carboxylic
acid methylamide;
5,6-bis-benzyloxy-2-(4-fluoro-phenyl)-benzofuran-3-carboxylic
acid methylamide;
2 (4-fluoro-phenyl) 5-isopropoxy-6-(5-trifluoromethyl-
[1,2,4]oxadiazol-3 yl)-benzofuran 3-carboxylic acid methylamide;
[2-(4-fluoro-phenyl)-5-isopropoxy-3-methylcarbamoyl-benzofuran-
6-yl]-piperazine-1-carboxylic acid amide;
2-(4 fluoro-phenyl) 5 isopropoxy-6-thiomorpholin 4-yl-
benzofuran-3 carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-3-methylcarbamoyl-benzofuran-6-
carboxylic acid;
2 (4-fluoro phenyl)-5-isopropoxy 6-(1-oxo-thiomorpholin-4-yl)
benzofuran 3 carboxylic acid methylamide;
{[2-(4-fluoro-phenyl)-5-isopropoxy-3-methylcarbamoyl-benzofuran-
6-yl]-methanesulfonyl-amino}-acetic acid;
6-(cyclobutyl-methanesulfonyl-amino)-2-(4-fluoro-phenyl)-5-
isopropoxy-benzofuran-3-carboxylic acid methylamide;
2 (4 fluoro phenyl) 5 isopropoxy 6 [methanesulfonyl (2
morpholin 4-yl-ethyl) amino] benzofuran 3-carboxylic acid
methylamide;
2-(4-fluoro-phenyl)-5,6-dihydroxy-benzofuran-3-carboxylic acid
methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-[methanesulfonyl-(2-methoxy-
```

)

ethyl)-amino]-benzofuran-3-carboxylic acid methylamide;

```
6-benzyloxy-2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3-
carboxylic acid methylamide;
6-(allyl-methanesulfonyl-amino)-2-(4-fluoro-phenyl)-5-
isopropoxy-benzofuran-3-carboxylic acid methylamide;
6-acetyl-2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3-
carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-methanesulfonylamino-
benzofuran-3-carboxylic acid isopropylamide;
2 (4 fluoro phenyl) 5 isopropoxy 6 (5 methyl [1,2,4] oxadiazol 3
yl) benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-methanesulfonylamino-
benzofuran-3-carboxylic acid cyclopropylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-methanesulfonylamino-
benzofuran-3-carboxylic acid ethylamide;
2 (4 fluoro phenyl) 5 (2 methyl thiazol 4 ylmethoxy) 6-
morpholin 4 yl benzofuran 3 carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-(1-hydroxy-1-methyl-ethyl)-5-isopropoxy-
benzofuran-3-carboxylic acid methylamide;
5 [5 (3,5 dimethyl isoxazol 4 yl) [1,2,4] oxadiazol 3 ylmethoxy]
2 (4 fluoro-phenyl) 6 morpholin-4-yl-benzofuran 3 carboxylic
acid methylamide;
5 (5 tert butyl [1,2,4]oxadiazol 3 ylmethoxy) 2 (4 fluoro-
phenyl) 6 morpholin 4 yl benzofuran 3 carboxylic acid
methylamide;
2 (4 fluoro phenyl) 5 isopropoxy 6 [1,2,4] oxadiazol-3 yl
benzofuran 3-carboxylic acid methylamide;
5 (5 chloro [1,2,4]thiadiazol 3 ylmethoxy) 2 (4 fluoro phenyl)
6-morpholin-4 yl benzofuran-3-carboxylic acid methylamide;
2-(4 fluoro-phenyl) 6 morpholin 4-yl 5 (5 p tolyl-
[1,3,4]oxadiazol 2 ylmethoxy) benzofuran 3 carboxylic acid
methylamide;
2-(4-fluoro-phenyl)-6-hydroxy-5-methoxy-benzofuran-3-carboxylic
acid methylamide;
```

```
2 (4 fluoro phenyl) 5 (1 methyl 1H tetrazol 5 ylmethoxy) 6
morpholin 4-yl benzofuran 3 carboxylic acid methylamide;
2 (4 fluoro phenyl) 5 (3 methoxy benzyloxy) 6 morpholin 4 yl-
benzofuran 3 carboxylic acid methylamide;
2 (4 fluoro phenyl) 5 methoxy 6 (1 methyl 1H tetrazol 5
ylmethoxy) benzofuran 3 carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-[1-(4-fluoro-phenyl)-ethoxy]-6-morpholin-
4-yl-benzofuran-3-carboxylic-acid methylamide;
5 (4 cyano benzyloxy) 2 (4 fluoro phenyl) 6 morpholin 4-yl-
benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-[5-(4-methoxy-phenyl)-[1,2,4]oxadiazol-3-
ylmethoxy] 6 morpholin 4 yl benzofuran 3-carboxylic-acid
methylamide;
2-(4-fluoro-phenyl)-6-morpholin-4-yl-5 (2-oxo-propoxy)-
benzofuran 3-carboxylic acid methylamide;
5 (1-benzyl-1H imidazol-2-ylmethoxy) 2 (4-fluoro-phenyl)-6-
morpholin 4 yl benzofuran 3 carboxylic acid methylamide;
5-(3,5-dimethyl isoxazol-4-ylmethoxy)-2-(4-fluoro-phenyl)-6-
morpholin 4 yl benzofuran 3 carboxylic acid methylamide;
2 (4 fluoro phenyl) 5 (5 methyl isoxazol 3 ylmethoxy) 6
morpholin 4 yl benzofuran 3 carboxylic acid methylamide;
2 (4 fluoro phenyl) 5 isopropoxy 6 thiazol 2 yl benzofuran 3
carboxylic acid methylamide;
2-(4-fluoro phenyl) 5-isopropoxy-6-(1H-pyrrol-2-yl)-benzofuran-
3 carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-(isopropyl-methanesulfonyl-amino)-5-
methoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-(1-hydroxy-ethyl)-5-isopropoxy-benzofuran-
3-carboxylic acid methylamide;
2 (4 fluoro phenyl) -5 isopropoxy 6 morpholin 4 ylmethyl
benzofuran-3-carboxylic-acid methylamide;
2-(4-fluoro-phenyl)-6-hydroxymethyl-5-isopropoxy-benzofuran-3-
carboxylic acid methylamide;
```

```
2 (4 fluoro phenyl) 5 (3H imidazol 4 ylmethoxy) 6 morpholin 4
yl-benzofuran-3-carboxylic-acid-methylamide;
2 (4 fluoro phenyl) 5 (2 methoxy ethoxy) 6 morpholin 4 yl-
benzofuran-3-carboxylic acid methylamide;
2 (4 fluoro phenyl) 5 isopropoxy 6 thiazol 5 yl benzofuran 3
carboxylic-acid methylamide;
5 (4 chloro 1 methyl 1H pyrazol 3 ylmethoxy) 2 (4 fluoro
phenyl) 6 morpholin 4 yl benzofuran 3 carboxylic acid
methylamide;
5 (cyano-methyl methoxy) 2 (4-fluoro phenyl) 6 morpholin 4-yl
benzofuran 3 carboxylic acid methylamide;
2 (4 fluoro phenyl) 5 isopropoxy 6 (2H pyrazol-3-yl) benzofuran-
3-carboxylic acid methylamide;
2 (4 fluoro-phenyl) 5 isopropoxy 6 (2-methyl-2H-pyrazol-3 yl)-
benzofuran-3-carboxylic acid methylamide;
2 (4 fluoro phenyl) 5 isopropoxy 6 (1 methyl 1H pyrazol 3 yl)
benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl) 5 isopropoxy 6 (3-methyl-isoxazol-5-yl)-
benzofuran-3-carboxylic acid methylamide;
6 [(5 chloro [1,2,4]thiadiazol 3 ylmethyl) methanesulfonyl-
amino]-2-(4-fluoro phenyl) 5-isopropoxy benzofuran 3 carboxylic
acid methylamide;
6 (3,5 dimethyl-isoxazol-4-ylamino) 2 (4-fluoro-phenyl) 5
isopropoxy benzofuran 3 carboxylic acid methylamide;
2 (4 fluoro-phenyl) - 5 methoxy 6 pyridin-3-yl-benzofuran-3
carboxylic acid methylamide;
6-dimethylaminomethyl-2-(4-fluoro-phenyl)-5-isopropoxy-
benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-(1-hydroxy-2-methyl-propyl)-5-isopropoxy-
benzofuran-3-carboxylic acid methylamide;
2 (4 fluoro phenyl) 5 isopropoxy 6 (1H pyrazol 4 yl) benzofuran
3 carboxylic acid methylamide;
```

```
2-(4-fluoro-phenyl)-6-[methanesulfonyl-(2-methoxy-ethyl)-amino]-
5-methoxy-benzofuran-3-carboxylic acid methylamide;
6 (3 cyclopropyl-isoxazol 5-yl) 2-(4 fluoro-phenyl) 5-
isopropoxy-benzofuran-3-carboxylic-acid-methylamide;
2 (4 fluoro phenyl) 5 isopropoxy 6 (3 methoxymethyl isoxazol 5
v1) -benzofuran-3 -carboxylic-acid-methylamide;
2-(4-fluoro-phenyl)-6-methanesulfonylamino-benzofuran-3-
carboxylic acid methylamide;
2 (4 fluoro phenyl) 6 (1H imidazol 2 yl) 5 isopropoxy-
benzofuran 3 carboxylic acid methylamide;
6 (2,5 dimethyl 2H-pyrazol-3-yl) 2 (4-fluoro-phenyl) 5
isopropoxy benzofuran 3 carboxylic acid methylamide;
6 (3,5-dimethyl 1H pyrazol 4 yl) 2 (4 fluoro phenyl) 5
isopropoxy-benzofuran-3 -carboxylic acid methylamide;
2 (4 fluoro phenyl)-5 isopropoxy 6 (5 methyl 2H pyrazol 3 yl)-
benzofuran-3-carboxylic-acid methylamide;
6 (1,5 dimethyl 1H pyrazol 3 yl) 2 (4 fluoro phenyl) 5
isopropoxy-benzofuran-3-carboxylic-acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-[(methanesulfonyl-methyl-
amino)-methyl]-benzofuran-3-carboxylic acid methylamide;
2 (4-fluoro phenyl) 5 (2-hydroxy 2 methyl propoxy) 6-morpholin
4-yl-benzofuran-3 carboxylic acid methylamide;
2 (4 fluoro phenyl) 5 (2 hydroxy 2 methyl butoxy) 6 morpholin 4
v1-benzofuran-3-carboxylic acid methylamide;
2 (4 fluoro phenyl) 5 (2 hydroxy propoxy) 6 morpholin 4 yl
benzofuran 3 carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-[(2-hydroxy-propyl)-methanesulfonyl-
amino]-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
2 (4 fluoro phenyl) 6 morpholin 4 yl 5 (1 thiazol 2 yl ethoxy)
benzofuran-3-carboxylic acid methylamide;
6-(ethyl-methanesulfonyl-amino)-2-(4-fluoro-phenyl)-5-
isopropoxy-benzofuran-3-carboxylic acid methylamide;
```

```
6 (3,5-dimethyl 1H-pyrazol 4 yl)-2-(4-fluoro-phenyl)-5-methoxy-
benzofuran-3 carboxylic acid methylamide;
2 (4 fluoro phenyl) 5 isopropoxy 6 (5 methyl 1H pyrazol 4 yl)
benzofuran-3 carboxylic acid methylamide;
3-[2-(4-fluoro-phenyl)-3-methylcarbamoyl-benzofuran-5-
yloxymethyl]-benzoic acid methyl ester;
4-[2-(4-fluoro-phenyl)-3-methylcarbamoyl-benzofuran-5-
yloxymethyl]-benzoic acid;
3-[2-(4-fluoro-phenyl)-3-methylcarbamoyl-benzofuran-5-
yloxymethyl]-benzoic acid;
6-acetyl-2-(4-fluoro-phenyl)-5-methoxy-benzofuran-3-carboxylic
acid methylamide;
4 [2 (4 fluoro phenyl) - 3 methylcarbamoyl 6 morpholin 4 yl-
benzofuran 5 yloxymethyl] benzoic acid methyl ester;
3 [2 (4 fluoro phenyl) 3 methylcarbamoyl 6 morpholin 4 yl
benzofuran 5 yloxymethyl]-benzoic-acid-methyl-ester;
2 (4 fluoro phenyl) 5 isopropoxy 6 (1,3,5 trimethyl 1H pyrazol-
4-yl-)-benzofuran 3 carboxylic acid methylamide;
2 (4 fluoro phenyl) 5 isopropoxy 6 pyrrolidin 2 yl benzofuran 3
carboxylic-acid-methylamide;
6-cyano-2-(4-fluoro-phenyl)-5-methoxy-benzofuran-3-carboxylic
acid methylamide;
4 [2 (4 fluoro phenyl) 3 methylcarbamoyl 6 morpholin 4 yl-
benzofuran 5 yloxymethyl]-benzoic acid;
3 [2 (4 fluoro phenyl) 3 methylcarbamoyl 6 morpholin 4 yl
benzofuran-5-yloxymethyl]-benzoic-acid;
2 (4 fluoro phenyl) 5 isopropoxy 6 [methanesulfonyl (1 methyl
1H tetrazol 5 ylmethyl) amino] benzofuran 3 carboxylic acid
methylamide;
4-({[2-(4-fluoro-phenyl)-5-isopropoxy-3-methylcarbamoyl-
benzofuran-6-yl]-methanesulfonyl-amino}-methyl)-benzoic acid
methyl ester;
```

```
2 (4 fluoro phenyl) 5 isopropoxy 6 [methanesulfonyl (2 methyl
thiazol 4 ylmethyl) amino benzofuran 3 carboxylic acid
methylamide;
4-({[2-(4-fluoro-phenyl)-5-isopropoxy-3-methylcarbamoyl-
benzofuran-6-y1]-methanesulfonyl-amino}-methyl)-benzoic acid;
2 (4 fluoro phenyl) 5 isopropoxy 6 (5 methoxymethyl isoxazol-3-
y1) -benzofuran-3-carboxylic acid methylamide;
6 (5 cyclopropyl isoxazol 3 yl) 2 (4 fluoro phenyl) 5
isopropoxy benzofuran 3 carboxylic acid methylamide;
2-(4 fluoro phenyl) 5-isopropoxy-6-(1-methanesulfonyl-
pyrrolidin 2 yl) benzofuran 3 carboxylic acid methylamide;
6-acety1-2-(4-fluoro-phenyl)-5-hydroxy-benzofuran-3-carboxylic
acid methylamide;
6-(ethyl-methanesulfonyl-amino)-2-(4-fluoro-phenyl)-5-methoxy-
benzofuran-3-carboxylic acid methylamide;
4 [2 (4 fluoro phenyl) 5 methoxy 3 methylearbamoyl benzofuran 6-
yl] 2-oxo pyrrolidine 3 carboxylic acid methylamide;
2-(4-fluoro phenyl)-5-isopropoxy-6-(4H-[1,2,4]triazol 3-yl)-
benzofuran 3 carboxylic acid methylamide;
2 (4 fluoro phenyl) 5 methoxy 6 (5 methoxymethyl 3 methyl-
isoxazol 4 y1) benzofuran 3 carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-[methanesulfonyl-(4-methoxy-
benzyl)-amino]-benzofuran-3-carboxylic acid methylamide;
2 (4 fluoro phenyl) 5 isopropoxy 6 [methanesulfonyl (5 methyl-
isoxazol-3-ylmethyl) amino] benzofuran-3-carboxylic-acid
methylamide;
2 (4 fluoro phenyl) 5 isopropoxy 6 (5 methyl isoxazol 3 yl)
benzofuran 3 carboxylic-acid methylamide;
6 [(3,5 dimethyl isoxazol 4 ylmethyl) methanesulfonyl amino] 2
(4-fluoro phenyl) 5-isopropoxy benzofuran 3-carboxylic acid
methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-(methanesulfonyl-thiazol-2-
ylmethyl amino) benzofuran 3 carboxylic acid methylamide;
```

```
2 ({{2 (4 fluoro phenyl) 5 isopropoxy 3 methylcarbamoyl-
benzofuran 6 yl] methanesulfonyl-amino) methyl) thiazole-4-
carboxylic acid ethyl ester;
2-(4-fluoro-phenyl)-5-hydroxy-6-(methanesulfonyl-methyl-amino)-
benzofuran-3-carboxylic acid methylamide;
6-(allyl-methanesulfonyl-amino)-5-allyloxy-2-(4-fluoro-phenyl)-
benzofuran-3-carboxylic acid methylamide;
6-(acetyl-methanesulfonyl-amino)-2-(4-fluoro-phenyl)-5-methoxy-
benzofuran-3-carboxylic acid methylamide;
6-[(3,5-dimethyl-isoxazol 4 ylmethyl) methanesulfonyl amino]-2-
(4 fluoro phenyl) 5 methoxy benzofuran 3 carboxylic acid
methylamide;
2-(4-fluoro-phenyl)-6-(methanesulfonyl-thiazol 4-ylmethyl-
amino) 5 methoxy benzofuran 3 carboxylic acid methylamide;
2 ({[2 (4 fluoro-phenyl)-5-isopropoxy-3-methylearbamoyl-
benzofuran 6-yl] methanesulfonyl amino methyl) thiazole 4-
carboxylic-acid;
5-(2,2-dimethyl-4-oxo-4H-benzo[1,3]dioxin-5-ylmethoxy)-2-(4-
fluoro phenyl) 6 morpholin 4 yl benzofuran 3 carboxylic acid
methylamide;
5-(2,2-dimethyl-4-oxo-4H-benzo[1,3]dioxin-5-ylmethoxy)-6-(ethyl-
methanesulfonyl-amino) 2-(4-fluoro-phenyl) benzofuran 3-
carboxylic acid methylamide;
2 (4 fluoro phenyl) 6 (1H imidazol 4 yl) 5 methoxy benzofuran-3
carboxylic acid methylamide;
2 (4 fluoro phenyl) 6 (1H imidazol 2 yl) 5 methoxy benzofuran-3-
carboxylic acid methylamide;
6-(ethyl-methanesulfonyl-amino)-2-(4-fluoro-phenyl)-5-hydroxy-
benzofuran-3-carboxylic acid methylamide;
5-difluoromethoxy-2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-
amino) -benzofuran-3-carboxylic acid methylamide;
2 (4 fluoro phenyl) 6 (methanesulfonyl pyridin 4 ylmethyl-
```

amino) 5 methoxy benzofuran 3 carboxylic acid methylamide;

```
2-(4-fluoro-phenyl)-6-(1-hydroxy-1-methyl-ethyl)-5-methyl-
benzofuran-3-carboxylic acid methylamide;
6-acetyl-2-(4-fluoro-phenyl)-5-methyl-benzofuran-3-carboxylic
acid methylamide;
5-(2,2 dimethyl 4 oxo 4H benzo[1,3]dioxin-7-ylmethoxy) 2 (4-
fluoro phenyl) 6 (methanesulfonyl methyl amino) benzofuran 3-
carboxylic acid-methylamide;
2-(4-fluoro-phenyl)-6-[1-(methanesulfonyl-methyl-amino)-ethyl]-
5-methoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-methoxy-6-(1-methylamino-ethyl)-
benzofuran-3-carboxylic acid methylamide;
4-[2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-3-
methylcarbamoyl-benzofuran-5-yloxymethyl]-benzoic acid methyl
ester;
2-[2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-3-
methylcarbamoyl-benzofuran-5-yloxymethyl]-benzoic acid methyl
ester;
6-[(2-fluoro-ethyl)-methanesulfonyl-amino]-2-(4-fluoro-phenyl)-
5-methoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-[methanesulfonyl-(2,2,2-trifluoro-ethyl)-
amino]-5-methoxy-benzofuran-3-carboxylic acid methylamide;
2-(4 fluoro-phenyl)-6-(1 methanesulfonyl pyrrolidin 2 yl)-5-
methoxy benzofuran-3-carboxylic acid methylamide;
6 (3-cyclopropyl-5-methoxymethyl-isoxazol-4 yl) 2 (4-fluoro-
phenyl) 5 methoxy benzofuran 3 carboxylic acid methylamide;
4-[2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-3-
methylcarbamoyl-benzofuran-5-yloxymethyl]-benzoic acid;
3-[2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-3-
methylcarbamoyl-benzofuran-5-yloxymethyl]-benzoic acid;
2-(4-fluoro-phenyl) 5-methoxy 6-(5-methoxymethyl isoxazol 3-yl)
benzofuran-3-carboxylic-acid-methylamide;
6 (3,5 dimethyl isoxazol 4 yl) 2 (4 fluoro phenyl) 5 hydroxy
benzofuran-3-carboxylic acid methylamide;
```

```
2 (4 fluoro phenyl) 5 methoxy 6 (5 oxo pyrrolidin 3 yl)
benzofuran 3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-[methanesulfonyl-(2-trifluoromethoxy-
ethyl)-amino]-5-methoxy-benzofuran-3-carboxylic acid
methylamide;
2 (4 fluoro phenyl) 5-methoxy 6 (1H pyrrol 3 yl) benzofuran-3-
earboxylic-acid methylamide;
6 (3,5-dimethyl isoxazol 4 yl) 2 (2-ethoxy 4-fluoro-phenyl) 5-
methoxy benzofuran-3 carboxylic acid methylamide;
2 (4 fluoro phenyl) 6 (methanesulfonyl methyl amino) 5 (thiazol
4-ylmethoxy) benzofuran-3-carboxylic acid-methylamide;
2 (4 fluoro phenyl) 6 (methanesulfonyl methyl-amino) 5 (2-
methyl thiazol 4 ylmethoxy) benzofuran 3 carboxylic acid
methylamide;
5 (3 chloromethyl [1,2,4]thiadiazol 5 yloxy) 2 (4 fluoro-
phenyl)-6-(methanesulfonyl-methyl-amino)-benzofuran-3 carboxylic
acid methylamide;
2-(4-fluoro-pheny1)-6-\{[2-(4-fluoro-pheny1)-2-hydroxy-ethy1]-
methanesulfonyl-amino}-5-isopropoxy-benzofuran-3-carboxylic acid
methylamide;
2 (4 fluoro phenyl)-5-methoxy-6-(2 methyl-2H-[1,2,4]triazol-3-
y1) -benzofuran-3-carboxylic-acid methylamide;
5 (3,5 dimethyl-isoxazol 4 ylmethoxy) 2 (4 fluoro phenyl) 6
(methanesulfonyl-methyl-amino)-benzofuran 3 carboxylic acid
methylamide;
2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-5-(3-
methoxy-benzyloxy)-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-hydroxy-6-(isobutyl-methanesulfonyl-
amino) -benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-5-(4-
methoxy-benzyloxy)-benzofuran-3-carboxylic acid methylamide;
2 (4 fluoro phenyl) 6 (methanesulfonyl methyl amino) 5 (pyridin-
4-ylmethoxy) benzofuran-3-carboxylic acid methylamide;
```

```
5 (2,2 dimethyl 4 oxo 4H benzo[1,3]dioxin 6 ylmethoxy) 2 (4-
fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-benzofuran-3-
carboxylic acid methylamide;
6-(cyclopropylmethyl-methanesulfonyl-amino)-2-(4-fluoro-phenyl)-
5-methoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-(methanesulfonyl-methylcarbamoylmethyl-
amino)-5-methoxy-benzofuran-3-carboxylic acid methylamide;
5-fluoro-2-(4-fluoro-phenyl)-6-methanesulfonylamino-benzofuran-
3-carboxylic acid methylamide;
6-(ethyl-methanesulfonyl-amino)-5-fluoro-2-(4-fluoro-phenyl)-
benzofuran-3-carboxylic acid methylamide;
2 (4 fluoro phenyl) 6 (1 methanesulfonyl pyrrolidin 3 yl) 5-
methoxy-benzofuran-3-carboxylic-acid-methylamide;
5-ethyl-2-(4-fluoro-phenyl)-6-[methanesulfonyl-(2-methoxy-
ethyl)-amino]-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-methoxy-6-(3-methoxymethyl-5-methyl-
isoxazol-4 yl) benzofuran 3 carboxylic acid methylamide;
5-ethyl-6-[(2-fluoro-ethyl)-methanesulfonyl-amino]-2-(4-fluoro-
phenyl)-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-(methanesulfonyl-propyl-amino)-5-propoxy-
benzofuran-3-carboxylic acid methylamide;
5-ethyl-2-(4-fluoro-phenyl)-6-(1-hydroxy-1-methyl-ethyl)-
benzofuran-3-carboxylic acid methylamide;
6-acetyl-5-ethyl-2-(4-fluoro-phenyl)-benzofuran-3-carboxylic
acid methylamide;
4-chloro-6-ethylamino-2-(4-fluoro-phenyl)-5-hydroxy-benzofuran-
3-carboxylic acid methylamide;
methanesulfonic acid 4-chloro-6-ethylamino-2-(4-fluoro-phenyl)-
3-methylcarbamoyl-benzofuran-5-yl ester;
5 ethyl 2 (4 fluoro phenyl) 6 (methanesulfonyl thiazol 4
ylmethyl amino) benzofuran 3 carboxylic acid methylamide;
6-(5-cyclopropyl-3-methoxymethyl-isoxazol-4-yl)-2-(4-fluoro-
pheny1) 5 methoxy benzofuran 3 carboxylic acid methylamide;
```

```
6 (1 acetyl pyrrolidin 3 yl) 2 (4 fluoro phenyl) 5 methoxy-
benzofuran 3 carboxylic acid methylamide;
5-(3,4-difluoro-benzyloxy)-2-(4-fluoro-phenyl)-6-
(methanesulfonyl-methyl-amino)-benzofuran-3-carboxylic acid
methylamide;
5-(2-difluoromethoxy-benzyloxy)-2-(4-fluoro-phenyl)-6-
(methanesulfonyl-methyl-amino)-benzofuran-3-carboxylic acid
methylamide;
2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-5-propoxy-
benzofuran-3-carboxylic acid methylamide;
5-allyloxy-2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-
benzofuran-3-carboxylic acid methylamide;
6 (5 ethoxymethyl isoxazol 3 yl) 2 (4 fluoro phenyl) 5 methoxy-
benzofuran 3-carboxylic acid methylamide;
5-cyclopropylmethoxy-2-(4-fluoro-phenyl)-6-(methanesulfonyl-
methyl-amino)-benzofuran-3-carboxylic acid methylamide;
5-(3,5-dimethoxy-benzyloxy)-2-(4-fluoro-phenyl)-6-
(methanesulfonyl-methyl-amino)-benzofuran-3-carboxylic acid
methylamide;
2-(4-fluoro-phenyl)-5-(4-methanesulfonyl-benzyloxy)-6-
(methanesulfonyl-methyl-amino)-benzofuran-3-carboxylic acid
methylamide;
2-(4-fluoro-phenyl)-5-hydroxy-6-[methanesulfonyl-(2-oxo-propyl)-
amino]-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-5-[2-(4-
methoxy-phenyl)-2-oxo-ethoxy]-benzofuran-3-carboxylic acid
methylamide;
5-(3-cyano-benzyloxy)-2-(4-fluoro-phenyl)-6-(methanesulfonyl-
methyl-amino)-benzofuran-3-carboxylic acid methylamide;
5-(4-cyano-benzyloxy)-2-(4-fluoro-phenyl)-6-(methanesulfonyl-
methyl-amino)-benzofuran-3-carboxylic acid methylamide;
2 (4 fluoro phenyl) 5 methoxy 6 (2H [1,2,4]triazol 3 yl)
```

benzofuran-3-carboxylic acid methylamide;

```
4-{2-[2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-3-
methylcarbamoyl-benzofuran-5-yloxy]-acetylamino}-benzoic acid
ethyl ester;
2-(4-fluoro-phenyl)-5-[2-(4-fluoro-phenyl)-2-oxo-ethoxy]-6-
(methanesulfonyl-methyl-amino)-benzofuran-3-carboxylic acid
methylamide;
6-(benzyl-methanesulfonyl-amino)-2-(4-fluoro-phenyl)-5-
isopropoxy-benzofuran-3-carboxylic acid methylamide;
4-chloro-6-(ethyl-methyl-amino)-2-(4-fluoro-phenyl)-5-methoxy-
benzofuran-3-carboxylic acid methylamide;
4-chloro-6-ethylamino-2-(4-fluoro-phenyl)-5-methoxy-benzofuran-
3-carboxylic acid methylamide;
6-ethylamino-2-(4-fluoro-phenyl)-5-hydroxy-benzofuran-3-
carboxylic acid methylamide;
5-(3-bromo-propoxy)-6-ethylamino-2-(4-fluoro-phenyl)-benzofuran-
3-carboxylic acid methylamide;
5-allyloxy-6-ethylamino-2-(4-fluoro-phenyl)-benzofuran-3-
carboxylic acid methylamide;
5-(3-ethoxy-propoxy)-6-ethylamino-2-(4-fluoro-phenyl)-
benzofuran-3-carboxylic acid methylamide;
2 [2-(4 fluoro-phenyl) 5-methoxy 3 methylcarbamoyl-benzofuran-6-
yll pyrrolidine 1-carboxylic acid amide;
2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-5-(2-oxo-
propoxy)-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-(2-hydroxy-propoxy)-6-(methanesulfonyl-
methyl-amino)-benzofuran-3-carboxylic acid methylamide;
2-(4 fluoro-phenyl)-6 (methanesulfonyl-methyl-amino)-5 (1
methyl-1H tetrazol-5-ylmethoxy) benzofuran-3-carboxylic-acid
methylamide;
2-(4-fluoro phenyl) 6-(5-isopropoxymethyl-isoxazol-3-yl)-5-
methoxy-benzofuran-3 carboxylic acid methylamide;
```

```
5 (5 diethylamino [1,2,4]thiadiazol 3 ylmethoxy) 2 (4 fluoro-
phenyl) 6 (methanesulfonyl methyl amino) benzofuran 3 carboxylic
acid methylamide;
5 [5-(cyclopropylmethyl-amino)-[1,2,4]thiadiazol-3-ylmethoxy]-2-
(4 fluoro phenyl) 6 (methanesulfonyl methyl amino) benzofuran-3-
carboxylic acid methylamide;
6-(2-amino-1-hydroxy-1-methyl-ethyl)-2-(4-fluoro-phenyl)-5-
isopropoxy-benzofuran-3-carboxylic acid methylamide;
6-(1-amino-1-methyl-ethyl)-2-(4-fluoro-phenyl)-5-isopropoxy-
benzofuran-3-carboxylic acid methylamide;
2-[2 (4-fluoro phenyl)-5-methoxy 3-methylcarbamoyl-benzofuran-6-
vll-pyrrolidine 1 carboxylic acid methylamide;
6 (3,5 dimethyl isoxazol 4 yl) 2 (4 fluoro phenyl) 5 methoxy
benzofuran-3-carboxylic acid ethylamide;
6 (3,5 dimethyl isoxazol 4 yl) 2 (4 fluoro phenyl) 5 methoxy
benzofuran 3-carboxylic-acid-isopropylamide;
6 (3,5-dimethyl-isoxazol-4-yl) 2 (4-fluoro phenyl) 5 methoxy-
benzofuran 3 carboxylic acid cyclopropylamide;
2 (4 fluoro phenyl) 5 isopropoxy 6 (5 methyl 2 oxo oxazolidin 5-
y1) benzofuran 3 carboxylic acid methylamide;
[2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-3-
methylcarbamoyl-benzofuran-5-yloxy]-acetic acid tert-butyl
ester;
2 (4 fluoro phenyl) 5 methoxy 6 (5 methyl 2H [1,2,4]triazol 3
yl) benzofuran 3 carboxylic-acid methylamide;
6-(1-amino-1-methyl-ethyl)-2-(4-fluoro-phenyl)-5-methoxy-
benzofuran-3-carboxylic acid methylamide;
6-(1-acetylamino-1-methyl-ethyl)-2-(4-fluoro-phenyl)-5-methoxy-
benzofuran-3-carboxylic acid methylamide;
[2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-3-
methylcarbamoyl-benzofuran-5-yloxy]-acetic acid;
6-(2,5-dimethyl-2H [1,2,4]triazol-3-yl)-2-(4-fluoro-phenyl)-5-
methoxy benzofuran-3-carboxylic acid methylamide;
```

```
2 (4 fluoro phenyl) 6 (methanesulfonyl methyl amino) 5 (thiazol-
2 ylmethoxy) benzofuran 3 carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-methoxy-6-(4-methyl-2,5-dioxo-
imidazolidin 4 yl) benzofuran 3 carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-(1-methanesulfonylamino-1-methyl-ethyl)-5-
methoxy-benzofuran-3-carboxylic acid methylamide;
5-(6-bromomethyl-pyridin-2-ylmethoxy)-6-[(6-bromomethyl-pyridin-
2 ylmethyl) methanesulfonyl amino] 2 (4 fluoro phenyl)
benzofuran 3 carboxylic acid-methylamide;
2 [2 (4 fluoro-phenyl) 6 (methanesulfonyl methyl amino) 3
methylcarbamoyl benzofuran 5 yloxymethyl] thiazole 4 carboxylic
acid ethyl-ester;
2 [2-(4 fluoro phenyl) -6 (methanesulfonyl methyl amino) -3-
methylcarbamoyl-benzofuran-5-yloxymethyl]-thiazole-4-carboxylic
acid:
6-dimethylamino-2-(4-fluoro-phenyl)-5-methoxy-benzofuran-3-
carboxylic acid methylamide;
5-cyanomethoxy-2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-
amino)-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-5-(5-
methyl-isoxazol-3 ylmethoxy) benzofuran-3 carboxylic acid
methylamide;
5 (5 chloro [1,2,3]thiadiazol 4 ylmethoxy) 2 (4 fluoro phenyl)
6 (methanesulfonyl methyl amino) benzofuran 3 carboxylic acid
methylamide;
2 (4 fluoro phenyl) 6 (methanesulfonyl methyl amino) 5 (1-
methyl 1H imidazol 2 ylmethoxy) benzofuran 3 carboxylic acid
methylamide;
5 (1 benzyl 1H imidazol 2 ylmethoxy) 2 (4 fluoro phenyl) 6
(methanesulfonyl methyl amino) benzofuran 3 carboxylic acid
methylamide;
2 (2,4 difluoro phenyl) 6 (3,5 dimethyl isoxazol 4 yl) 5
```

methoxy-benzofuran-3 carboxylic acid-methylamide;

```
6 (3,5 dimethyl-isoxazol 4 yl) 2 (4 fluoro-phenyl) 5 (thiazol 4-
ylmethoxy) benzofuran 3 carboxylic acid-methylamide;
5-(5-amino 4H-[1,2,4]triazol-3 ylmethoxy) 2 (4-fluoro-phenyl) 6-
(methanesulfonyl-methyl-amino) benzofuran 3 carboxylic acid
methylamide;
5-(4 chloro-1-methyl-1H pyrazol-3-ylmethoxy)-2-(4-fluoro-
phenyl) 6 (methanesulfonyl-methyl-amino) benzofuran 3 carboxylic
acid methylamide;
2-(4-fluoro-phenyl)-6 (methanesulfonyl-methyl-amino)-5-(2-
pyrazol 1 yl ethoxy) benzofuran 3 carboxylic acid methylamide;
2 (4 fluoro-phenyl) 5 (1H-imidazol-2-ylmethoxy) 6-
(methanesulfonyl methyl amino) benzofuran 3 carboxylic acid
methylamide;
6-(2,5 dioxo imidazolidin-4-yl) 2 (4-fluoro-phenyl) 5 methoxy-
benzofuran 3-carboxylic acid methylamide;
5 (3,5 dimethyl isoxazol 4 yl) 2 (4 fluoro phenyl) 6
methanesulfonylamino benzofuran 3 carboxylic acid methylamide;
2 (4 fluoro phenyl) 6 (methanesulfonyl methyl amino) 5 (1
thiazol-2-yl-ethoxy) benzofuran-3-carboxylic acid methylamide;
6-(3,5-dimethyl-isoxazol-4-yl)-2-(4-fluoro-phenyl)-5-(5-methyl-
isoxazol-3-ylmethoxy) benzofuran-3-carboxylic acid methylamide;
6-(3,5-dimethyl-isoxazol-4 yl)-2-(4 fluoro-phenyl)-5-(thiazol-2-
ylmethoxy) benzofuran 3 carboxylic acid methylamide;
6-acety1-2-(4-fluoro-phenyl)-benzofuran-3-carboxylic acid
methylamide;
2-(4-fluoro-phenyl)-5-(2-hydroxy-2-methyl-propoxy)-6-
(methanesulfonyl-methyl-amino)-benzofuran-3-carboxylic acid
methylamide;
5-diethylcarbamoylmethoxy-2-(4-fluoro-phenyl)-6-
(methanesulfonyl-methyl-amino)-benzofuran-3-carboxylic acid
methylamide;
6-(3,5-dimethyl isoxazol 4 yl) 5-ethoxy 2-(4-fluoro phenyl)
benzofuran-3-carboxylic-acid methylamide;
```

```
2 (4 fluoro phenyl) 6 (methanesulfonyl methyl amino) 5 (thiazol-
2-ylcarbamoylmethoxy) benzofuran-3-carboxylic acid methylamide;
2 (4 fluoro phenyl) 6 (methanesulfonyl methyl amino) 5
([1,3,4]thiadiazol-2-ylcarbamoylmethoxy)-benzofuran-3-carboxylic
acid methylamide;
5 [(4,5 dimethyl thiazol 2 ylcarbamoyl) methoxy] 2 (4 fluoro-
phenyl) 6 (methanesulfonyl methyl amino) benzofuran 3 carboxylic
acid methylamide;
5-cyclopropyl-2-(4-fluoro-phenyl)-6-methanesulfonylamino-
benzofuran-3-carboxylic acid methylamide;
5 [2 (4 cyano piperidin-1 yl) ethoxy] 6 (3,5 dimethyl isoxazol-
4 yl) 2 (4 fluoro phenyl) benzofuran 3 carboxylic acid
methylamide;
2-(4-fluoro-phenyl)-6-methanesulfonylamino-5-thiophen-2-yl-
benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-5-
methylcarbamoylmethoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-(1-hydroxymethyl-cyclopropylmethoxy)-6-
[(1-hydroxymethyl-cyclopropylmethyl)-methanesulfonyl-amino]-
benzofuran-3-carboxylic acid methylamide;
6-diethylamino-5-ethoxy-2-(4-fluoro-phenyl)-benzofuran-3-
carboxylic acid methylamide;
5-carbamoylmethoxy-2-(4-fluoro-phenyl)-6-(methanesulfonyl-
methyl-amino)-benzofuran-3-carboxylic acid methylamide;
5-[2-(3,5-dimethyl-pyrazol-1-yl)-ethoxy]-2-(4-fluoro-phenyl)-6-
(methanesulfonyl methyl amino) benzofuran-3-carboxylic acid
methylamide;
2 (4 fluoro phenyl) 5 furan 2 yl 6 methanesulfonylamino-
benzofuran-3-carboxylic acid methylamide;
6 (3,5 dimethyl isoxazol 4 yl) 2 (4 fluoro phenyl) 5 (1 methyl-
1H tetrazol 5 ylmethoxy) benzofuran 3 carboxylic acid
methylamide;
```

```
5-cyclopropylmethoxy 6 (3,5-dimethyl-isoxazol 4-yl) 2 (4-fluoro-
phenyl) benzofuran-3-carboxylic acid methylamide;
6-(3,5-dimethyl-isoxazol-4-yl) 5-(3,5-dimethyl-isoxazol-4-
ylmethoxy) 2 (4 fluoro-phenyl) benzofuran 3 carboxylic acid
methylamide;
2-(4 fluoro-phenyl) 5 methoxy-6-(5 methyl-[1,3,4]oxadiazol-2-
y1) benzofuran-3-carboxylic-acid methylamide;
6 (3 cyano 4 hydroxy 2 oxo 2,5 dihydro pyrrol 1 ylmethyl) 2 (4-
fluoro phenyl) - 5 methoxy benzofuran 3 carboxylic acid
methylamide;
4-chloro-6-[ethyl-(2-methoxy-acetyl)-amino]-2-(4-fluoro-phenyl)-
5-methoxy-benzofuran-3-carboxylic acid methylamide;
6 (3,5-dimethyl isoxazol 4 yl) 2 (4 fluoro phenyl) 5 (2
morpholin 4-yl-ethoxy) benzofuran-3-carboxylic acid methylamide;
6 (3,5 dimethyl-isoxazol 4 yl) 2 (4 fluoro-phenyl) 5 (3-
piperidin 1 yl propoxy) benzofuran 3 carboxylic acid
methylamide;
2-(4-fluoro-phenyl) 5 (thiazol-4-ylmethoxy)-benzofuran-3-
carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-(2-hydroxy-acetyl)-5-methoxy-benzofuran-3-
carboxylic acid methylamide;
5-cyclopropyl-2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-
amino)-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-hydroxy-6-[(2-hydroxy-propyl)-
methanesulfonyl-amino]-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-[(2-hydroxy-propyl)-methanesulfonyl-
amino]-5-methoxy-benzofuran-3-carboxylic acid methylamide;
6 (1 acetyl pyrrolidin 2 yl) 5 ethyl 2 (4 fluoro phenyl)
benzofuran-3-carboxylic acid methylamide;
2 (4 fluoro phenyl) 6 methanesulfonylamino 5 (tetrahydro furan-
2 yl) benzofuran-3-carboxylic acid-methylamide;
2 (4 fluoro-phenyl) 5 methoxy 6 (tetrahydro-furan 3 yl)-
benzofuran 3 carboxylic acid methylamide;
```

- 2-(4-fluoro-phenyl)-6-(methanesulfonyl-methoxymethyl-amino)-5propoxy-benzofuran-3-carboxylic acid methylamide; 2-(4-fluoro-phenyl)-5-hydroxy-6-(methanesulfonyl-methoxymethylamino) -benzofuran-3-carboxylic acid methylamide; 2-(4-fluoro-phenyl)-6-methanesulfonylamino-5-propoxy-benzofuran-3-carboxylic acid methylamide; 5-(4-cyano-benzyloxy)-2-(4-fluoro-phenyl)-6-(methanesulfonylmethoxymethyl-amino)-benzofuran-3-carboxylic acid methylamide; 5-(3-cyano-benzyloxy)-2-(4-fluoro-phenyl)-6-(methanesulfonylmethoxymethyl-amino)-benzofuran-3-carboxylic acid methylamide; 6 (1 cyclopropanecarbonyl pyrrolidin 2 yl) 2 (4 fluoro phenyl) -5-isopropoxy benzofuran-3-carboxylic acid methylamide; 2 (4 fluoro phenyl) 5 methoxy 6 [1,3,4]oxadiazol 2 ylbenzofuran 3 carboxylic acid methylamide; 2 (4-fluoro phenyl) 6 (methanesulfonyl methyl amino) 5 thiophen-2-yl-benzofuran-3-carboxylic-acid methylamide; and 2-(4-fluoro-phenyl)-6-{[2-(4-fluoro-phenyl)-2-hydroxy-ethyl]methanesulfonyl-amino}-5-hydroxy-benzofuran-3-carboxylic acid methylamide; and pharmaceutically acceptable salts thereof.
- 8. (Currently amended) The compound according to claim 1, selected from the group consisting of:

  2-(4-fluoro-phenyl) 5-methoxy-6 morpholin-4-yl benzofuran-3-carboxylic acid methylamide; 2-(4-fluoro-phenyl) 5-isopropoxy-6-morpholin-4-yl benzofuran-3 carboxylic acid methylamide; 2-(4-fluoro-phenyl)-5-isopropoxy-6-methanesulfonylamino-benzofuran-3-carboxylic acid methylamide; 2-(4-fluoro-phenyl)-5-isopropoxy-6-[(2-methoxy-ethyl)-methyl-amino]-benzofuran-3-carboxylic acid methylamide; 5-benzyloxy-2-(4-fluoro-phenyl)-6-morpholin-4-yl-benzofuran-3-carboxylic acid methylamide; 2-(4-fluoro-phenyl)-6-[(furan-3-ylmethyl)-amino]-5-isopropoxy-benzofuran-3-carboxylic acid methylamide; 6-(3,5-dimethyl-isoxazol-4-yl)-2-(4-fluoro-phenyl)-6-acid methylamide; 6-(3,5-dimethyl-isoxazol-4-yl)-2-(4-fluoro-phenyl)-6-dimethylamide; 6-(3,5-dimethyl-isoxazol-4-yl)-2-(4-fluoro-phenyl)-6-dimethylamide; 6-(3,5-dimethyl-isoxazol-4-yl)-2-(4-fluoro-phenyl)-6-dimethylamide; 6-(3,5-dimethyl-isoxazol-4-yl)-2-(4-fluoro-phenyl)-6-dimethylamide; 6-(3,5-dimethyl-isoxazol-4-yl)-2-(4-fluoro-phenyl)-6-dimethylamide; 6-(3,5-dimethyl-isoxazol-4-yl)-2-(4-fluoro-phenyl)-6-dimethylamide; 6-(3,5-dimethyl-isoxazol-4-yl)-2-(4-fluoro-phenyl-isoxazol-4-yl)-2-(4

pheny1) -5 methoxy benzofuran 3-carboxylic acid methylamide; 5-cyclopropyl-2-(4-fluoro-phenyl)-6-[(2-hydroxy-ethyl)-methanesulfonyl-amino]-benzofuran-3-carboxylic acid methylamide; 6 (3,5-dimethyl-isoxazol-4-yl)-2-(4-fluoro-phenyl) 5 (3 hydroxy-propoxy)-benzofuran-3-carboxylic-acid methylamide; 5-ethoxy-2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-benzofuran-3-carboxylic acid methylamide; 2-(4-fluoro-phenyl)-6-[(2-hydroxy-ethyl)-methanesulfonyl-amino]-5-methoxy-benzofuran-3-carboxylic acid methylamide; 5-ethyl-2-(4-fluoro-phenyl)-6-[(2-hydroxy-ethyl)-methanesulfonyl-amino]-benzofuran-3-carboxylic acid methylamide; 2-(4-fluoro-phenyl)-6-[4-(2-hydroxy-ethyl)-isoxazol-3-yl]-5-methoxy-benzofuran-3-carboxylic acid methylamide; and pharmaceutically acceptable salts thereof.

- 9. (Original) The compound according to claim 1 in the form of a pharmaceutically acceptable salt.
- 10. (Original) The compound according to claim 9, wherein the pharmaceutically acceptable salt is selected from hydrochloric, sulfuric, acetic, lactic, sodium, potassium, piperidine, or ammonium.
- 11. (Original) The compound according to claim 10, wherein in the pharmaceutically acceptable salt is a potassium salt or a sodium salt.
- 12. (Original) The compound according to claim 9 selected from the group consisting of:

  2-(4-fluoro-phenyl)-5-isopropoxy- 6-methanesulfonylaminobenzofuran-3-carboxylic acid methylamide, potassium salt;

  2-(4-fluoro-phenyl)-5-isopropoxy- 6-methanesulfonylaminobenzofuran-3-carboxylic acid methylamide, sodium salt; 18544

- 2-(4-fluoro-phenyl)-6-methanesulfonylamino-5-methoxy-benzofuran-3-carboxylic acid methylamide, potassium salt; 18669
  2-(4-fluoro-phenyl)-6-methanesulfonylamino-5-methoxy-benzofuran-3-carboxylic acid methylamide, sodium salt; 18669
  2-(4-fluoro-phenyl)-5-isopropoxy-6-(propane-2-sulfonylamino)-benzofuran-3-carboxylic acid methylamide, potassium salt; 18814
  2-(4-fluoro-phenyl)-5-isopropoxy-6-(propane-2-sulfonylamino)-benzofuran-3-carboxylic acid methylamide, sodium salt; 18814
  2-(4-fluoro-phenyl)-5-isopropoxy-6-methanesulfonylamino-benzofuran-3-carboxylic acid isopropylamide, potassium salt; 19053
- 2-(4-fluoro-phenyl)-5-isopropoxy-6-methanesulfonylaminobenzofuran-3-carboxylic acid isopropylamide, sodium salt; 19053 2-(4-fluoro-phenyl)-5-isopropoxy-6-methanesulfonylaminobenzofuran-3-carboxylic acid ethylamide, potassium salt; and 2-(4-fluoro-phenyl)-5-isopropoxy-6-methanesulfonylaminobenzofuran-3-carboxylic acid ethylamide, sodium salt.
- 13. (Original) A composition for prophylaxis or treatment of viral infections, said composition comprising a compound as claimed in claim 1, in an amount effective to attenuate viral infectivity, and a pharmaceutically acceptable carrier medium.
- 14. (Currently amended) The composition according to claim 13, wherein said compound is selected from the group consisting of:
- 2-furan-3-yl 5-methoxy-benzofuran-3-carboxylic-acid methylamide; 2-phenyl-5-trifluoromethoxy-benzofuran-3-carboxylic acid methylamide;
- 2-(3,4-difluoro-phenyl)-5-methoxy-benzofuran-3-carboxylic acid methylamide;
- 2-[4-(acetylamino-methyl)-phenyl]-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;

- 2-(4-hydroxy-phenyl)-5-isopropoxy-benzofuran-3-carboxylic acid
  methylamide;
- 2 (4-fluoro-phenyl)-5-isopropoxy-6-pyrrolidin-1-yl-benzofuran-3-carboxylic acid methylamide;
- 5-difluoromethoxy-2-(4-fluoro-phenyl)-benzofuran-3-carboxylic acid methylamide;
- 2-(4-fluoro-phenyl)-5-isopropoxy-6-(2-methoxy-ethylamino)-benzofuran-3-carboxylic acid methylamide;
- 5-methyl-2-phenyl-benzofuran-3-carboxylic acid methylamide;
- 5-methyl-2-(4-fluoro-phenyl)benzofuran-3-carboxylic acid methylamide;
- 2-phenyl-5-(2,2,2-trifluoro-ethoxy)-benzofuran-3-carboxylic acid methylamide;
- 2-(4-fluoro-phenyl)-5-methoxy-benzofuran-3-carboxylic acid methylamide;
- 6-bromo-2-(4-fluoro-phenyl)-5-methoxy-benzofuran-3-carboxylic acid methylamide;
- 5-methoxy-6-methyl-2-phenyl-benzo0furan-3-carboxylic acid methylamide;
- 6-(3-amino pyrrolidin 1-yl)-2-(4-fluoro-phenyl)-5-isopropoxy-
- 2,3 dihydro benzofuran 3 carboxylic acid methylamide;
- 6-amino-2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
- 6-amino-2-(4-fluoro-phenyl)-5-methoxy-benzofuran-3-carboxylic acid methylamide;
- 6-acetylamino-2-(4-fluoro-phenyl)-5-methoxy-benzofuran-3-carboxylic acid methylamide;
- 2-(4-fluoro-phenyl)-5-isopropoxy-6-methylamino-benzofuran-3-carboxylic acid methylamide;
- 6-dimethylamino-2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
- 2-(4-fluoro-phenyl)-5-isopropoxy- 6-methanesulfonylaminobenzofuran-3-carboxylic acid methylamide;

```
6-ethylamino-2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3-
carboxylic acid methylamide;
6-diethylamino-2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3-
carboxylic acid methylamide;
2 (4 fluoro phenyl) 5 isopropoxy 6 morpholin 4 yl benzofuran 3-
carboxylic-acid-methylamide;
5-methoxy-4-methyl-2-phenyl-benzofuran-3-carboxylic acid
methylamide:
5-cyano-2-phenyl-benzofuran-3-carboxylic acid methylamide;
5-isopropoxy-2-pyridin-4-yl-benzofuran-3-carboxylic-acid
methylamide;
6 (3,5-dimethyl-isoxazol-4-yl)-2 (4-fluoro-phenyl)-5-methoxy-
benzofuran - 3 - carboxylic acid - methylamide;
2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-5-methoxy-
benzofuran-3-carboxylic acid methylamide;
2 (4-fluoro-phenyl) 5 (4-methoxy-benzyloxy) 6 morpholin 4-yl-
benzofuran 3-carboxylic acid-methylamide;
2-(4-fluoro-phenyl)-6-[methanesulfonyl-(4-methoxy-benzyl)-
amino]-5-(4-methoxy-benzyloxy)-benzofuran-3-carboxylic acid
methylamide;
5-ethoxy-6-(ethyl-methanesulfonyl-amino)-2-(4-fluoro-phenyl)-
benzofuran-3-carboxylic acid methylamide;
2 (4-fluoro-phenyl)-6-morpholin-4-yl-5 (thiazol 2-ylmethoxy)-
benzofuran-3 carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-[methanesulfonyl-(2-oxo-
propy1)-amino]-benzofuran-3-carboxylic acid methylamide;
2 (4 fluoro phenyl) 6 morpholin 4 yl 5 (thiazol 4 ylmethoxy)
benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro phenyl)-5-isopropoxy-6-(methanesulfonyl-thiazol-4-
ylmethyl amino) benzofuran-3 carboxylic acid methylamide;
2 (4 fluoro phenyl) 6 (5 hydroxymethyl isoxazol 3 yl) 5
isopropoxy benzofuran-3-carboxylic acid-methylamide;
```

```
5-ethoxy-2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-
benzofuran-3-carboxylic acid methylamide;
4-[2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-3-
methylcarbamoyl-benzofuran-5-yloxymethyl]-2-hydroxy-benzoic
acid:
2 (4 fluoro phenyl) 6 (5 hydroxymethyl isoxazol 3 yl) 5 methoxy
benzofuran-3-carboxylic-acid-methylamide;
2 (4-fluoro-phenyl) 6-[4-(2-hydroxy-ethyl)-isoxazol-3-yl]-5-
methoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-[(2-hydroxy-ethyl)-methanesulfonyl-amino]-
5-methoxy-benzofuran-3-carboxylic acid methylamide;
5-cyclopropy1-2-(4-fluoro-pheny1)-6-[(2-hydroxy-ethy1)-
methanesulfonyl-amino]-benzofuran-3-carboxylic acid methylamide;
5-ethyl-2-(4-fluoro-phenyl)-6-methanesulfonylamino-benzofuran-3-
carboxylic acid methylamide;
5-ethyl-2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-
benzofuran-3-carboxylic acid methylamide;
5-ethyl-2-(4-fluoro-phenyl)-6-[(2-hydroxy-ethyl)-
methanesulfonyl-amino]-benzofuran-3-carboxylic acid methylamide;
6 (1 acetyl pyrrolidin 2 yl) 2 (4 fluoro phenyl) 5 methoxy
benzofuran-3 carboxylic-acid methylamide;
2 (4 fluoro phenyl) 5 methoxy 6 (2 oxo oxazolidin 5 yl)
benzofuran-3-carboxylic-acid-methylamide;
2-(4-fluoro-phenyl)-6-(1-hydroxy-1-methyl-ethyl)-5-methoxy-
benzofuran-3-carboxylic acid methylamide;
2 (4 fluoro phenyl) 5 methoxy 6 (5 methyl [1,2,4]oxadiazol 3-
yl)-benzofuran 3-carboxylic acid-methylamide;
6 (3,5 dimethyl isoxazol 4 yl) 2 (4 fluoro phenyl) 5 (3 hydroxy
propoxy) benzofuran 3 carboxylic acid methylamide;
2-(4-fluoro-phenyl) 6-(methanesulfonyl methyl-amino) 5-(2-
morpholin 4 yl-ethoxy) benzofuran-3 carboxylic acid methylamide;
5-(biphenyl-2-ylmethoxy)-2-phenyl-benzofuran-3-carboxylic acid
methylamide;
```

```
5-methoxy-2-(4-methoxy-phenyl)-benzofuran-3-carboxylic acid
methylamide;
5-methoxy-2-(3-trifluoromethyl-phenyl)-benzofuran-3-carboxylic
acid methylamide;
5-methoxy-2-(4-trifluoromethyl-phenyl)-benzofuran-3-carboxylic
acid methylamide;
5-ethoxy-2-phenyl-benzofuran-3-carboxylic acid methylamide;
2-(2-fluoro-phenyl)-5-methoxy-benzofuran-3-carboxylic acid
methylamide;
5-isopropoxy-2-phenyl-benzofuran-3-carboxylic acid methylamide;
5-butoxy-2-phenyl-benzofuran-3-carboxylic acid methylamide;
2-phenyl-5-propoxy-benzofuran-3-carboxylic acid methylamide;
5-methoxy-2-(2,4,5-trifluoro-phenyl)-benzofuran-3-carboxylic
acid methylamide;
5-methoxy-7-methyl-2-phenyl-benzofuran-3-carboxylic acid
methylamide;
2-(4-fluoro-phenyl)-5-(2,2,2-trifluoro-ethoxy)-benzofuran-3-
carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3-carboxylic acid
methylamide;
2-(2-chloro-phenyl)-5-methoxy-benzofuran-3-carboxylic acid
methylamide;
6-methoxy-2-phenyl-benzofuran-3-carboxylic acid methylamide;
2 furan 2 yl 5 methoxy benzofuran 3 carboxylic acid methylamide;
2-(3-fluoro-4-methyl-phenyl)-5-methoxy-benzofuran-3-carboxylic
acid methylamide;
2-(4-bromo-phenyl)-5-methoxy-benzofuran-3-carboxylic acid
methylamide;
```

acid methylamide;

2-(4-fluoro-phenyl)-5-methoxy-7-methyl-benzofuran-3-carboxylic

2-(4-fluoro-3-methyl-phenyl)-5-methoxy-benzofuran-3-carboxylic

acid methylamide;

```
5-chloro-2-(4-fluoro-phenyl)-benzofuran-3-carboxylic acid
methylamide;
5-tert-butyl-2-phenyl-benzofuran-3-carboxylic acid methylamide;
5-chloro-2-p-tolyl-benzofuran-3-carboxylic acid methylamide;
2-(3-chloro-4-fluoro-phenyl)-5-methoxy-benzofuran-3-carboxylic
acid methylamide;
2-(4-chloro-3-fluoro-phenyl)-5-methoxy-benzofuran-3-carboxylic
acid methylamide;
5-methoxymethy1-2-pheny1-benzofuran-3-carboxylic acid
methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-methyl-benzofuran-3-
carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-7-methyl-benzufuran-3-
carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-methoxy-6-methyl-benzofuran-3-carboxylic
acid methylamide;
5-fluoro-2-(4-fluoro-phenyl)-benzofuran-3-carboxylic acid
methylamide;
2-(4-ethyl-phenyl)-5-fluoro-benzofuran-3-carboxylic acid
methylamide;
5-ethyl-2-phenyl-benzofuran-3-carboxylic acid methylamide;
2 (5 chloro thiophen 2 yl) 5 methoxy benzofuran 3 carboxylic
acid-methylamide;
5-isopropy1-2-pheny1-benzofuran-3-carboxylic acid methylamide;
2 (5-chloro thiophen 2-yl) 5 ethoxy benzofuran 3-carboxylic acid
methylamide;
5 methoxy 2 thiophen 2 yl benzofuran 3 carboxylic acid
methylamide;
5 chloro 2 pyridin 3 yl benzofuran 3 carboxylic acid
methylamide;
2-(4-bromo-3-fluoro-phenyl)-5-isopropoxy-benzofuran-3-carboxylic
acid methylamide; 2-(2,4-difluoro-phenyl)-5-isopropoxy-
```

benzofuran-3-carboxylic acid methylamide;

- 6-bromo-2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
- 5 methoxy 2 (4 morpholin-4-yl-phenyl) benzofuran-3 carboxylic acid methylamide;
- 5,6-dimethoxy-2-phenyl-benzofuran-3-carboxylic acid methylamide; 5-isopropoxy 2-(4-pyrrolidin-1-yl-phenyl) benzofuran-3carboxylic acid methylamide;
- 5-fluoro 2 pyridin-4 yl-benzofuran-3-carboxylic-acid methylamide;
- 2-[2-(4-fluoro-phenyl)-6-methyl-3-methylcarbamoyl-benzofuran-5-yloxy]-propionic acid;
- 6-acetylamino-2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
- 2-(4-amino-phenyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
- 2-(4-fluoro-phenyl)-5-isopropoxy-6-(2-morpholin-4-yl-ethylamino)-benzofuran-3-carboxylic acid-methylamide;
- 2 (4 fluoro phenyl) 5 isopropoxy 6-piperidin-1-yl benzofuran-3-carboxylic acid methylamide;
- 2-(4-fluoro-phenyl)-5,6-dimethoxy-benzofuran-3-carboxylic acid methylamide;
- 2-(4-fluoro-phenyl)- 5-methoxy-6-morpholin-4-yl-benzofuran-3-carboxylic-acid-methylamide;
- 2-(4-bromo-pheny1)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
- 2-(4-fluoro-3-hydroxy-phenyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
- 2-(4-cyano-pheny1)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
- 5-methoxy 2-pyridin 4-yl benzofuran 3-carboxylic acid methylamide;
- 2-(4-fluoro-phenyl) 5 isopropoxy 6-(3-methanesulfonyl-pyrrolidin 1-yl) benzofuran 3-carboxylic acid methylamide;

```
6-azetidin-1-yl-2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3-
carboxylic acid methylamide;
2 (4 fluoro phenyl) 6 (3 hydroxy pyrrolidin 1 yl) 5 isopropoxy
benzofuran-3-carboxylic-acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-(methanesulfonyl-methyl-
amino)-benzofuran-3-carboxylic acid methylamide;
2 (4 fluoro-phenyl) 6-[(furan 3 ylmethyl) amino] 5 isopropoxy
benzofuran - 3 carboxylic - acid methylamide;
6-(2,3-dihydroxy-propylamino)-2-(4-fluoro-phenyl)-5-isopropoxy-
benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-isopropylamino-benzofuran-3-
carboxylic acid methylamide;
6-(cyclopropylmethyl-amino)-2-(4-fluoro-phenyl)-5-isopropoxy-
benzofuran-3-carboxylic acid methylamide;
2 (4 fluoro phenyl) 5 methoxy 6 pyrrolidin 1 yl benzofuran 3
carboxylic-acid methylamide;
5-benzyloxy-2-(4 fluoro-phenyl) 6-morpholin 4 yl-benzofuran 3-
carboxylic acid methylamide;
5-hydroxymethyl-2-phenyl-benzofuran-3-carboxylic acid
methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-[(2-methoxy-ethyl)-methyl-
amino]-benzofuran-3-carboxylic acid methylamide;
6-amino-5-benzyloxy-2-(4-fluoro-phenyl)-benzofuran-3-carboxylic
acid methylamide;
5 isopropoxy 2 (3 methyl furan 2-yl) benzofuran 3 carboxylic
acid-methylamide;
2-(4-fluoro-phenyl)-6-methanesulfonylamino-5-methoxy-benzofuran-
3-carboxylic acid methylamide;
2 (4 fluoro phenyl) 5 isopropoxy 6 [(tetrahydro furan 2-
ylmethyl) aminol benzofuran 3 carboxylic acid methylamide;
2 (4 fluoro phenyl) 5 hydroxy 6 morpholin 4 yl benzofuran 3
```

carboxylic acid methylamide;

```
5-cyclopropylmethoxy 2 (4 fluoro phenyl) 6-morpholin-4-yl-
benzofuran 3 carboxylic acid methylamide;
6-chloro-2-(4-fluoro-phenyl)-5-methoxy-benzofuran-3-carboxylic
acid methylamide;
6 (2,5 dimethyl 2H pyrazol 3 ylamino) 2 (4 fluoro phenyl) 5
isopropoxy benzofuran 3 carboxylic acid methylamide;
2 (4 fluoro phenyl) 6 morpholin 4 yl 5 (pyridin 4 ylmethoxy)
benzofuran 3 carboxylic acid methylamide;
6-cyano-2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3-carboxylic
acid methylamide;
5-methoxy-2-phenyl-benzofuran-3-carboxylic acid ethylamide;
2 (4 fluoro-phenyl) 5 isopropoxy 6 (pyridin 4 ylamino)
benzofuran-3-carboxylic-acid-methylamide;
2 (4 fluoro-phenyl)-5-isopropoxy-6 (4 methyl piperazin-1 yl)
benzofuran 3 carboxylic-acid-methylamide;
6-(3-chloro-propane-1-sulfonylamino)-2-(4-fluoro-phenyl)-5-
isopropoxy-benzofuran-3-carboxylic acid methylamide;
6 (1,1 dioxido isothiazolidin 2 yl) 2 (4 fluoro phenyl) 5-
isopropoxy benzofuran 3 carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-ureido-benzofuran-3-
carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-(isopropyl-methanesulfonyl-
amino)-benzofuran-3-carboxylic acid methylamide;
6-(cyclopropylmethyl-methanesulfonyl-amino)-2-(4-fluoro-phenyl)-
5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
6 (2,6 dimethyl morpholin 4 yl) 2 (4 fluoro phenyl) 5
isopropoxy benzofuran-3 carboxylic acid methylamide;
2 (4-fluoro-phenyl) 5-isopropoxy 6 (1H-tetrazol-5-yl)
benzofuran-3-carboxylic acid-methylamide;
2 (4 fluoro phenyl) 6 (4 hydroxy piperidin 1 yl) 5 isopropoxy
benzofuran 3-carboxylic-acid-methylamide;
2 (4 fluoro phenyl) 6 (3 hydroxy piperidin 1 yl) 5 isopropoxy
benzofuran-3-carboxylic acid methylamide;
```

```
2 (4 fluoro phenyl) 5 isopropoxy 6 (morpholine 4 sulfonyl)
benzofuran-3-earboxylic-acid-methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-methylsulfamoyl-benzofuran-3-
carboxylic acid methylamide;
6-dimethylsulfamoyl-2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-
3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-(propane-2-sulfonylamino)-
benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3,6-dicarboxylic
acid 6-amide 3-methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-pyrimidin-5-yl-benzofuran-3-
carboxylic-acid-methylamide;
6-tert-butylamino-2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3-
carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-sulfamoyl-benzofuran-3-
carboxylic acid methylamide;
6-cyclobutylsulfamoyl-2-(4-fluoro-phenyl)-5-isopropoxy-
benzofuran-3-carboxylic acid methylamide;
2 (4-fluoro phenyl) 6-furan 2-yl-5-isopropoxy benzofuran 3-
carboxylic acid methylamide;
2-(4 fluoro-phenyl) 6-furan 3 yl 5-isopropoxy-benzofuran 3
carboxylic acid methylamide;
2 (4 fluoro phenyl) 5 isopropoxy 6 pyridin 3 yl benzofuran 3
carboxylic acid methylamide;
2 (4 fluoro phenyl) 5 isopropoxy 6 (pyrrolidine 1 sulfonyl)
benzofuran -3 carboxylic acid methylamide;
6-cyclopropylsulfamoyl-2-(4-fluoro-phenyl)-5-isopropoxy-
benzofuran-3-carboxylic acid methylamide;
6-ethylsulfamoyl-2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3-
carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-vinyl-benzofuran-3-carboxylic
acid methylamide;
```

```
2-(4-fluoro-phenyl)-5-isopropoxy-6-methoxy-benzofuran-3-
carboxylic acid methylamide;
6 (3,5 dimethyl isoxazol 4 yl) 2 (4 fluoro phenyl) 5 isopropoxy
benzofuran 3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-formyl-5-isopropoxy-benzofuran-3-
carboxylic acid methylamide;
2 (4 fluoro phenyl) 6 (6 fluoro pyridin 3 yl) 5 isopropoxy
benzofuran 3 carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-(methanesulfonylamino-
methyl)-benzofuran-3-carboxylic acid methylamide;
6-(cyclopentyl-methanesulfonyl-amino)-2-(4-fluoro-phenyl)-5-
isopropoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-[(2-hydroxy-ethyl)-methanesulfonyl-amino]-
5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-hydroxy-6-methoxy-benzofuran-3-carboxylic
acid methylamide;
5 ethoxy 2 (4 fluoro phenyl) 6 morpholin 4 yl benzofuran 3
carboxylic acid methylamide;
5-(4-fluoro-benzyloxy) 2-(4-fluoro-phenyl) 6-morpholin 4-yl-
benzofuran 3 carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-oxazol-5-yl-benzofuran-3-
carboxylic acid methylamide;
2 (4 fluoro phenyl) 6 (4 hydroxy piperidine 1 sulfonyl) 5
isopropoxy benzofuran-3-carboxylic acid-methylamide;
6 (4,4-difluoro piperidin 1 yl) 2 (4 fluoro phenyl) 5
isopropoxy benzofuran-3-carboxylic acid methylamide;
2 (4 dluoro phenyl) 6 (4 fluoro piperidin 1 yl) 5 isopropoxy
benzofuran-3 carboxylic-acid-methylamide;
5 difluoromethoxy 2 (4 fluoro phenyl) 6 morpholin 4 yl-
benzofuran-3-carboxylic acid-methylamide;
5-cyclopentyloxy 2-(4-fluoro-phenyl)-6-morpholin-4-yl-
benzofuran 3 carboxylic acid methylamide;
```

```
2-(4-fluoro-phenyl)-5-hydroxy-6-methanesulfonylamino-benzofuran-
3-carboxylic acid methylamide;
2 - (4-fluoro-phenyl) - 5 isopropoxy - 6 (thiomorpholine - 4-sulfonyl) -
benzofuran - 3 - carboxylic - acid - methylamide;
2 (4-fluoro-phenyl)-6-(3 hydroxy-pyrrolidine-1 sulfonyl)-5-
isopropoxy-benzofuran-3-carboxylic-acid-methylamide;
2 (4 fluoro phenyl) 5 isopropoxy 6 pyridin 4 yl benzofuran 3
earboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-(3-methanesulfonyl-phenyl)-
benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-(4-methanesulfonyl-phenyl)-
benzofuran-3-carboxylic acid methylamide;
5 (2-chloro-cthoxy) 2 (4 fluoro-phenyl) 6 morpholin 4-yl-
benzofuran - 3 - carboxylic - acid methylamide;
6-benzyloxy-2-(4-fluoro-phenyl)-5-methoxy-benzofuran-3-
carboxylic acid methylamide;
6-amino-2-(4-fluoro-phenyl)-5-hydroxy-benzofuran-3-carboxylic
acid methylamide;
5,6-bis-benzyloxy-2-(4-fluoro-phenyl)-benzofuran-3-carboxylic
acid methylamide;
2 (4 fluoro phenyl) 5 isopropoxy 6 (5 trifluoromethyl-
[1,2,4]oxadiazol-3-yl)-benzofuran-3-carboxylic acid methylamide;
[2-(4-fluoro-phenyl)-5-isopropoxy-3-methylcarbamoyl-benzofuran-
6-yl]-piperazine-1-carboxylic acid amide;
2 (4 fluoro phenyl) 5 isopropoxy 6 thiomorpholin 4 yl
benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-3-methylcarbamoyl-benzofuran-6-
carboxylic acid;
2 (4 fluoro phenyl) 5 isopropoxy 6 (1 oxo thiomorpholin 4 yl)
benzofuran 3-carboxylic acid methylamide;
{[2-(4-fluoro-phenyl)-5-isopropoxy-3-methylcarbamoyl-benzofuran-
6-yl]-methanesulfonyl-amino}-acetic acid;
```

```
6-(cyclobutyl-methanesulfonyl-amino)-2-(4-fluoro-phenyl)-5-
isopropoxy-benzofuran-3-carboxylic acid methylamide;
2-(4 fluoro phenyl) 5 isopropoxy 6 [methanesulfonyl (2-
morpholin-4-yl ethyl) amino]-benzofuran-3 carboxylic acid
methylamide;
2-(4-fluoro-phenyl)-5,6-dihydroxy-benzofuran-3-carboxylic acid
methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-[methanesulfonyl-(2-methoxy-
ethyl)-amino]-benzofuran-3-carboxylic acid methylamide;
6-benzyloxy-2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3-
carboxylic acid methylamide;
6-(allyl-methanesulfonyl-amino)-2-(4-fluoro-phenyl)-5-
isopropoxy-benzofuran-3-carboxylic acid methylamide;
6-acety1-2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3-
carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-methanesulfonylamino-
benzofuran-3-carboxylic acid isopropylamide;
2-(4-fluoro-phenyl) 5-isopropoxy-6-(5-methyl [1,2,4]oxadiazol-3-
y1) benzofuran-3-carboxylic-acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-methanesulfonylamino-
benzofuran-3-carboxylic acid cyclopropylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-methanesulfonylamino-
benzofuran-3-carboxylic acid ethylamide;
2-(4-fluoro-phenyl)-5-(2-methyl-thiazol-4-ylmethoxy)-6-
morpholin-4-yl-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-(1-hydroxy-1-methyl-ethyl)-5-isopropoxy-
benzofuran-3-carboxylic acid methylamide;
5 [5 (3,5 dimethyl isoxazol 4 yl) [1,2,4] oxadiazol 3 ylmethoxy]
2 (4 fluoro phenyl) 6 morpholin 4 yl benzofuran 3 carboxylic
acid methylamide;
5 (5 tert butyl [1,2,4] oxadiazol 3 ylmethoxy) 2 (4 fluoro-
phenyl) -6 morpholin 4 yl benzofuran 3 carboxylic acid
methylamide;
```

```
2 (4 fluoro phenyl) 5 isopropoxy 6 [1,2,4] oxadiazol 3 yl
benzofuran 3 carboxylic acid methylamide;
5 (5 chloro [1,2,4]thiadiazol 3 ylmethoxy) 2 (4 fluoro phenyl)
6 morpholin 4-yl-benzofuran 3-carboxylic acid-methylamide;
2 (4 fluoro phenyl) 6 morpholin 4 yl 5 (5 p tolyl
[1,3,4] oxadiazol 2 ylmethoxy) benzofuran 3 carboxylic acid
methylamide;
2-(4-fluoro-phenyl)-6-hydroxy-5-methoxy-benzofuran-3-carboxylic
acid methylamide;
2 (4 fluoro phenyl) 5 (1 methyl 1H tetrazol 5 ylmethoxy) 6
morpholin 4 yl benzofuran 3 carboxylic acid methylamide;
2 (4-fluoro phenyl) 5-(3-methoxy-benzyloxy) 6 morpholin-4-yl-
benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl) 5-methoxy-6-(1-methyl-1H-tetrazol-5-
ylmethoxy) - benzofuran 3 - carboxylic - acid methylamide;
2 (4 fluoro phenyl) 5 [1 (4 fluoro phenyl) ethoxy] 6 morpholin-
4-vl-benzofuran-3-carboxylic-acid-methylamide;
5 (4-cyano-benzyloxy)-2 (4 fluoro-phenyl)-6-morpholin 4 yl
benzofuran 3-carboxylic acid-methylamide;
2 (4 fluoro phenyl) 5 [5 (4 methoxy phenyl) [1,2,4] oxadiazol 3-
ylmethoxy] 6-morpholin-4-yl-benzofuran-3-carboxylic acid
methylamide;
2-(4-fluoro-phenyl)-6-morpholin-4-yl-5-(2-oxo-propoxy)-
benzofuran-3-carboxylic acid methylamide;
5-(1-benzyl-1H-imidazol-2-ylmethoxy) 2 (4-fluoro-phenyl)-6-
morpholin 4-yl benzofuran 3-carboxylic acid methylamide;
5 (3,5-dimethyl-isoxazol 4 ylmethoxy) 2 (4 fluoro phenyl) 6
morpholin 4 yl benzofuran 3 carboxylic acid methylamide;
2 (4 fluoro-phenyl) 5 (5 methyl isoxazol 3 ylmethoxy) 6
morpholin 4 yl benzofuran 3 carboxylic acid methylamide;
2 (4 fluoro-phenyl) 5-isopropoxy-6 thiazol-2 yl-benzofuran 3-
carboxylic acid methylamide;
```

```
2 (4 fluoro phenyl) 5 isopropoxy 6 (1H pyrrol 2 yl) benzofuran-
3 carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-(isopropyl-methanesulfonyl-amino)-5-
methoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-pheny1)-6-(1-hydroxy-ethy1)-5-isopropoxy-benzofuran-
3-carboxylic acid methylamide;
2 (4 fluoro phenyl) 5 isopropoxy 6 morpholin 4 ylmethyl-
benzofuran 3 carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-hydroxymethyl-5-isopropoxy-benzofuran-3-
carboxylic acid methylamide;
2-(4-fluoro phenyl) 5 (3H-imidazol 4 ylmethoxy) 6-morpholin-4-
yl-benzofuran-3-carboxylic-acid methylamide;
2-(4-fluoro-phenyl)-5-(2 methoxy ethoxy)-6-morpholin 4-yl-
benzofuran-3 carboxylic acid methylamide;
2 (4 fluoro phenyl) 5 isopropoxy 6 thiazol 5 yl benzofuran 3
carboxylic-acid methylamide;
5-(4-chloro-1-methyl-1H-pyrazol-3-ylmethoxy)-2-(4-fluoro-
phenyl) 6-morpholin-4-yl benzofuran 3 carboxylic acid
methylamide;
5-(cyano methyl methoxy) 2-(4-fluoro phenyl) 6 morpholin 4 yl-
benzofuran-3-carboxylic acid methylamide;
2-(4 fluoro-phenyl) 5 isopropoxy-6 (2H-pyrazol 3-yl) benzofuran-
3 carboxylic acid methylamide;
2 (4 fluoro phenyl) 5 isopropoxy 6 (2 methyl 2H pyrazol 3 yl)
benzofuran 3 carboxylic acid methylamide;
2 (4-fluoro-phenyl) 5-isopropoxy 6-(1-methyl-1H-pyrazol-3-yl)
benzofuran-3 carboxylic acid methylamide;
2 (4 fluoro phenyl) 5 isopropoxy 6 (3 methyl isoxazol 5 yl)
benzofuran 3-carboxylic acid methylamide;
6 [(5 chloro [1,2,4]thiadiazol 3 ylmethyl) methanesulfonyl
amino] 2 (4 fluoro phenyl) 5 isopropoxy benzofuran 3 carboxylic
acid methylamide;
```

```
6 (3,5-dimethyl isoxazol 4 ylamino) 2 (4 fluoro phenyl) 5-
isopropoxy benzofuran 3 carboxylic acid methylamide;
2 (4 fluoro phenyl) 5 methoxy 6 pyridin 3 yl benzofuran 3
earboxylic-acid methylamide;
6-dimethylaminomethyl-2-(4-fluoro-phenyl)-5-isopropoxy-
benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-(1-hydroxy-2-methyl-propyl)-5-isopropoxy-
benzofuran-3-carboxylic acid methylamide;
2 (4-fluoro-phenyl) 5-isopropoxy 6-(1H-pyrazol 4 yl) benzofuran
3-carboxylic-acid-methylamide;
2-(4-fluoro-phenyl)-6-[methanesulfonyl-(2-methoxy-ethyl)-amino]-
5-methoxy-benzofuran-3-carboxylic acid methylamide;
6 (3 cyclopropyl isoxazol 5 yl) 2 (4 fluoro phenyl) 5
isopropoxy benzofuran 3 carboxylic acid methylamide;
2-(4-fluoro-phenyl) 5-isopropoxy-6-(3 methoxymethyl isoxazol-5-
y1)-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-methanesulfonylamino-benzofuran-3-
carboxylic acid methylamide;
2-(4 fluoro-phenyl)-6-(1H imidazol-2 yl)-5-isopropoxy-
benzofuran-3-carboxylic acid methylamide;
6-(2,5 dimethyl-2H-pyrazol-3-yl)-2 (4 fluoro-phenyl)-5-
isopropoxy-benzofuran-3 carboxylic-acid-methylamide;
6 (3,5 dimethyl 1H pyrazol 4 yl) 2 (4 fluoro phenyl) 5
isopropoxy benzofuran 3 carboxylic acid methylamide;
2 (4 fluoro phenyl) 5 isopropoxy 6 (5 methyl 2H pyrazol 3 yl)
benzofuran 3 carboxylic-acid methylamide;
6 (1,5-dimethyl 1H pyrazol 3 yl) 2 (4 fluoro phenyl) 5-
isopropoxy-benzofuran-3 carboxylic acid-methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-[(methanesulfonyl-methyl-
amino) -methyl] -benzofuran-3-carboxylic acid methylamide;
2 (4-fluoro-phenyl)-5-(2-hydroxy-2-methyl-propoxy)-6-morpholin-
4 yl-benzofuran-3-carboxylic acid methylamide;
```

```
2 (4 fluoro phenyl) 5 (2 hydroxy 2 methyl butoxy) 6 morpholin 4
yl benzofuran-3-carboxylic acid methylamide;
2 (4 fluoro phenyl) 5 (2 hydroxy propoxy) 6 morpholin 4 yl
benzofuran - 3 - carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-[(2-hydroxy-propyl)-methanesulfonyl-
amino]-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
2 (4 fluoro-phenyl)-6-morpholin-4-yl-5 (1 thiazol-2 yl ethoxy)-
benzofuran-3-carboxylic acid methylamide;
6-(ethyl-methanesulfonyl-amino)-2-(4-fluoro-phenyl)-5-
isopropoxy-benzofuran-3-carboxylic acid methylamide;
6 (3,5 dimethyl-1H pyrazol-4-yl)-2 (4 fluoro phenyl)-5 methoxy-
benzofuran-3 carboxylic acid methylamide;
2 (4-fluoro phenyl) 5-isopropoxy 6 (5 methyl 1H pyrazol 4 yl)
benzofuran-3 carboxylic acid methylamide;
3-[2-(4-fluoro-phenyl)-3-methylcarbamoyl-benzofuran-5-
yloxymethyl]-benzoic acid methyl ester;
4-[2-(4-fluoro-phenyl)-3-methylcarbamoyl-benzofuran-5-
yloxymethyl]-benzoic acid;
3-[2-(4-fluoro-phenyl)-3-methylcarbamoyl-benzofuran-5-
yloxymethyl]-benzoic acid;
6-acetyl-2-(4-fluoro-phenyl)-5-methoxy-benzofuran-3-carboxylic
acid methylamide;
4-[2 (4 fluoro-phenyl)-3 methylcarbamoyl-6-morpholin 4-yl-
benzofuran 5 yloxymethyl] benzoic acid methyl ester;
3-[2 (4-fluoro-phenyl)-3 methylearbamoyl-6 morpholin-4-yl-
benzofuran 5 yloxymethyl] benzoic acid methyl ester;
2-(4-fluoro phenyl)-5-isopropoxy-6-(1,3,5-trimethyl-1H-pyrazol-
4 yl) benzofuran-3 carboxylic-acid methylamide;
2 (4 fluoro-phenyl) 5 isopropoxy 6 pyrrolidin 2 yl benzofuran-3
carboxylic acid methylamide;
6-cyano-2-(4-fluoro-phenyl)-5-methoxy-benzofuran-3-carboxylic
acid methylamide;
```

```
4-[2-(4-fluoro-phenyl)-3-methylcarbamoyl-6-morpholin-4-yl-
benzofuran-5-yloxymethyl] benzoic acid;
3 [2 (4 fluoro phenyl) 3 methylcarbamoyl 6 morpholin 4 yl-
benzofuran-5 yloxymethyl] benzoic acid;
2 (4 fluoro phenyl) 5 isopropoxy 6 [methanesulfonyl (1 methyl-
1H tetrazol 5 ylmethyl) amino] benzofuran 3 carboxylic acid
methylamide;
4-({[2-(4-fluoro-phenyl)-5-isopropoxy-3-methylcarbamoyl-
benzofuran-6-yl]-methanesulfonyl-amino}-methyl)-benzoic acid
methyl ester:
2-(4 fluoro-phenyl) 5-isopropoxy 6 [methanesulfonyl-(2-methyl-
thiazol 4 ylmethyl) amino] benzofuran 3 carboxylic acid
methylamide;
4-({[2-(4-fluoro-phenyl)-5-isopropoxy-3-methylcarbamoyl-
benzofuran-6-y1]-methanesulfonyl-amino}-methyl)-benzoic acid;
2 (4 fluoro phenyl) 5 isopropoxy 6 (5 methoxymethyl isoxazol-3-
y1) benzofuran 3 carboxylic acid methylamide;
6-(5 cyclopropyl-isoxazol 3-yl)-2 (4-fluoro-phenyl)-5-
isopropoxy benzofuran 3 carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-(1-methanesulfonyl-
pyrrolidin 2-yl) benzofuran-3 carboxylic acid methylamide;
6-acety1-2-(4-fluoro-pheny1)-5-hydroxy-benzofuran-3-carboxylic
acid methylamide;
6-(ethyl-methanesulfonyl-amino)-2-(4-fluoro-phenyl)-5-methoxy-
benzofuran-3-carboxylic acid methylamide;
4-[2-(4-fluoro phenyl) 5 methoxy 3 methylcarbamoyl benzofuran 6-
yl]-2-oxo-pyrrolidine 3 carboxylic acid methylamide;
2-(4 fluoro phenyl) 5-isopropoxy-6-(4H-[1,2,4]triazol-3-yl)-
benzofuran-3-carboxylic acid-methylamide;
2 (4-fluoro-phenyl)-5-methoxy-6-(5-methoxymethyl-3-methyl-
isoxazol-4-yl)-benzofuran 3-carboxylic acid-methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-[methanesulfonyl-(4-methoxy-
benzyl)-amino]-benzofuran-3-carboxylic acid methylamide;
```

```
2 (4 fluoro phenyl) 5 isopropoxy 6 [methanesulfonyl (5 methyl-
isoxazol 3 ylmethyl) amino] benzofuran 3 carboxylic acid
methylamide;
2 (4 fluoro phenyl) 5-isopropoxy 6 (5 methyl isoxazol 3 yl)-
benzofuran-3-carboxylic-acid-methylamide;
6-[(3,5-dimethyl-isoxazol 4-ylmethyl) methanesulfonyl-amino] 2-
(4 fluoro phenyl) 5 isopropoxy benzofuran 3 carboxylic acid
methylamide;
2 (4-fluoro phenyl) 5 isopropoxy-6 (methanesulfonyl-thiazol 2-
vlmethyl amino) benzofuran 3 carboxylic acid methylamide;
2-({[2-(4-fluoro-phenyl)-5-isopropoxy-3-methylcarbamoyl-
benzofuran 6 yl]-methanesulfonyl amino) methyl) thiazole 4-
carboxylic acid ethyl ester;
2-(4-fluoro-phenyl)-5-hydroxy-6-(methanesulfonyl-methyl-amino)-
benzofuran-3-carboxylic acid methylamide;
6-(allyl-methanesulfonyl-amino)-5-allyloxy-2-(4-fluoro-phenyl)-
benzofuran-3-carboxylic acid methylamide;
6-(acetyl-methanesulfonyl-amino)-2-(4-fluoro-phenyl)-5-methoxy-
benzofuran-3-carboxylic acid methylamide;
6 [(3,5 dimethyl isoxazol 4 ylmethyl) methanesulfonyl amino] 2
(4 fluoro phenyl) 5 methoxy benzofuran 3 earboxylic acid
methylamide;
2 (4-fluoro-phenyl)-6 (methanesulfonyl-thiazol-4 ylmethyl-
amino) 5-methoxy benzofuran 3-carboxylic acid methylamide;
2-({[2-(4 fluoro-phenyl) 5-isopropoxy-3 methylearbamoyl-
benzofuran 6-yl] methanesulfonyl-amino} methyl) thiazole-4-
carboxylic acid;
5-(2,2-dimethyl-4-oxo-4H-benzo[1,3]dioxin-5-ylmethoxy) 2 (4-
fluoro phenyl) 6 morpholin 4 yl benzofuran 3 carboxylic acid
methylamide;
5-(2,2-dimethyl-4-oxo-4H-benzo[1,3]dioxin-5-ylmethoxy)-6-(ethyl-
methanesulfonyl amino) 2 (4 fluoro phenyl) benzofuran 3-
carboxylic acid methylamide;
```

```
2 (4 fluoro phenyl) 6 (1H imidazol 4 yl) 5 methoxy benzofuran 3-
carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-(1H-imidazol-2-yl)-5-methoxy-benzofuran-3-
carboxylic acid methylamide;
6-(ethyl-methanesulfonyl-amino)-2-(4-fluoro-phenyl)-5-hydroxy-
benzofuran-3-carboxylic acid methylamide;
5-difluoromethoxy-2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-
amino)-benzofuran-3-carboxylic acid methylamide;
2 (4-fluoro-phenyl) 6 (methanesulfonyl-pyridin-4-ylmethyl-
amino)-5-methoxy-benzofuran 3-carboxylic-acid methylamide;
2-(4-fluoro-phenyl)-6-(1-hydroxy-1-methyl-ethyl)-5-methyl-
benzofuran-3-carboxylic acid methylamide;
6-acetyl-2-(4-fluoro-phenyl)-5-methyl-benzofuran-3-carboxylic
acid methylamide;
5 (2,2-dimethyl-4-oxo 4H benzo[1,3]dioxin 7-ylmethoxy) 2-(4-
fluoro phenyl) 6 (methanesulfonyl methyl amino) benzofuran 3-
carboxylic acid-methylamide;
2-(4-fluoro-phenyl)-6-[1-(methanesulfonyl-methyl-amino)-ethyl]-
5-methoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-methoxy-6-(1-methylamino-ethyl)-
benzofuran-3-carboxylic acid methylamide;
4-[2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-3-
methylcarbamoyl-benzofuran-5-yloxymethyl]-benzoic acid methyl
ester;
2-[2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-3-
methylcarbamoyl-benzofuran-5-yloxymethyl]-benzoic acid methyl
ester;
6-[(2-fluoro-ethyl)-methanesulfonyl-amino]-2-(4-fluoro-phenyl)-
5-methoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-[methanesulfonyl-(2,2,2-trifluoro-ethyl)-
amino]-5-methoxy-benzofuran-3-carboxylic acid methylamide;
2 (4 fluoro phenyl) 6 (1 methanesulfonyl pyrrolidin 2 yl) 5-
methoxy benzofuran 3 carboxylic acid methylamide;
```

```
6 (3 cyclopropyl-5 methoxymethyl isoxazol-4-yl)-2 (4 fluoro-
phenyl) 5 methoxy benzofuran 3 carboxylic acid methylamide;
4-[2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-3-
methylcarbamoyl-benzofuran-5-yloxymethyl]-benzoic acid;
3-[2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-3-
methylcarbamoyl-benzofuran-5-yloxymethyl]-benzoic acid;
2 (4 fluoro phenyl) 5 methoxy 6 (5 methoxymethyl isoxazol 3 yl)
benzofuran-3-carboxylic acid-methylamide;
6 (3,5-dimethyl isoxazol 4 yl) 2 (4 fluoro phenyl) 5 hydroxy
benzofuran-3-carboxylic acid-methylamide;
2 (4 fluoro phenyl) 5 methoxy 6 (5 oxo pyrrolidin 3 yl)
benzofuran 3 carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-[methanesulfonyl-(2-trifluoromethoxy-
ethyl)-amino]-5-methoxy-benzofuran-3-carboxylic acid
methylamide;
2 (4 fluoro phenyl) 5 methoxy 6 (1H pyrrol 3 yl) benzofuran 3
carboxylic acid methylamide;
6-(3,5-dimethyl-isoxazol 4 yl) 2-(2-ethoxy-4-fluoro phenyl) 5-
methoxy benzofuran 3 carboxylic acid methylamide;
2 (4 fluoro-phenyl) 6 (methanesulfonyl methyl amino) 5 (thiazol-
4-ylmethoxy) benzofuran 3-carboxylic acid methylamide;
2 (4 fluoro phenyl) 6 (methanesulfonyl methyl amino) 5 (2-
methyl-thiazol 4 ylmethoxy) benzofuran 3 carboxylic acid
methylamide;
5 (3 chloromethyl [1,2,4]thiadiazol 5 yloxy) 2 (4 fluoro-
phenyl) 6 (methanesulfonyl methyl-amino) benzofuran 3 carboxylic
acid-methylamide;
2-(4-fluoro-phenyl)-6-{[2-(4-fluoro-phenyl)-2-hydroxy-ethyl]-
methanesulfonyl-amino}-5-isopropoxy-benzofuran-3-carboxylic acid
methylamide;
2 (4 fluoro-phenyl) 5 methoxy-6-(2 methyl-2H [1,2,4]triazol-3-
yl) benzofuran-3 carboxylic acid methylamide;
```

```
5 (3,5-dimethyl-isoxazol 4 ylmethoxy) 2 (4 fluoro-phenyl) 6-
(methanesulfonyl methyl amino) benzofuran 3 carboxylic acid
methylamide;
2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-5-(3-
methoxy-benzyloxy)-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-hydroxy-6-(isobutyl-methanesulfonyl-
amino)-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-5-(4-
methoxy-benzyloxy)-benzofuran-3-carboxylic acid methylamide;
2 (4 fluoro phenyl) 6 (methanesulfonyl methyl amino) 5 (pyridin-
4 ylmethoxy) benzofuran 3 carboxylic acid methylamide;
5 (2,2 dimethyl 4 oxo 4H benzo[1,3]dioxin 6 ylmethoxy) 2 (4
fluoro-phenyl) 6 (methanesulfonyl-methyl amino) benzofuran 3-
carboxylic acid methylamide;
6-(cyclopropylmethyl-methanesulfonyl-amino)-2-(4-fluoro-phenyl)-
5-methoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-(methanesulfonyl-methylcarbamoylmethyl-
amino)-5-methoxy-benzofuran-3-carboxylic acid methylamide;
5-fluoro-2-(4-fluoro-phenyl)-6-methanesulfonylamino-benzofuran-
3-carboxylic acid methylamide;
6-(ethyl-methanesulfonyl-amino)-5-fluoro-2-(4-fluoro-phenyl)-
benzofuran-3-carboxylic acid methylamide;
2 (4 fluoro phenyl) 6 (1 methanesulfonyl pyrrolidin 3 yl) 5
methoxy benzofuran-3-carboxylic acid methylamide;
5-ethyl-2-(4-fluoro-phenyl)-6-[methanesulfonyl-(2-methoxy-
ethyl)-amino]-benzofuran-3-carboxylic acid methylamide;
2 (4 fluoro phenyl) 5 methoxy 6 (3 methoxymethyl 5 methyl
isoxazol 4 yl) benzofuran 3 carboxylic acid methylamide;
5-ethyl-6-[(2-fluoro-ethyl)-methanesulfonyl-amino]-2-(4-fluoro-
phenyl)-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-(methanesulfonyl-propyl-amino)-5-propoxy-
benzofuran-3-carboxylic acid methylamide;
```

```
5-ethyl-2-(4-fluoro-phenyl)-6-(1-hydroxy-1-methyl-ethyl)-
benzofuran-3-carboxylic acid methylamide;
6-acety1-5-ethy1-2-(4-fluoro-phenyl)-benzofuran-3-carboxylic
acid methylamide;
4-chloro-6-ethylamino-2-(4-fluoro-phenyl)-5-hydroxy-benzofuran-
3-carboxylic acid methylamide;
methanesulfonic acid 4-chloro-6-ethylamino-2-(4-fluoro-phenyl)-
3-methylcarbamoyl-benzofuran-5-yl ester;
5-ethyl 2-(4-fluoro-phenyl) 6-(methanesulfonyl-thiazol 4-
ylmethyl-amino)-benzofuran-3-carboxylic-acid methylamide;
6-(5-cyclopropyl-3-methoxymethyl isoxazol 4 yl)-2 (4-fluoro-
phenyl) 5-methoxy-benzofuran 3 carboxylic acid methylamide;
6 (1-acetyl-pyrrolidin-3-yl) 2-(4-fluoro phenyl) 5 methoxy-
benzofuran-3-carboxylic acid methylamide;
5-(3,4-difluoro-benzyloxy)-2-(4-fluoro-phenyl)-6-
(methanesulfonyl-methyl-amino)-benzofuran-3-carboxylic acid
methylamide;
5-(2-difluoromethoxy-benzyloxy)-2-(4-fluoro-phenyl)-6-
(methanesulfonyl-methyl-amino)-benzofuran-3-carboxylic acid
methylamide;
2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-5-propoxy-
benzofuran-3-carboxylic acid methylamide;
5-allyloxy-2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-
benzofuran-3-carboxylic acid methylamide;
6 (5 ethoxymethyl isoxazol 3 yl) 2 (4 fluoro phenyl) 5 methoxy
benzofuran-3-carboxylic acid-methylamide;
5-cyclopropylmethoxy-2-(4-fluoro-phenyl)-6-(methanesulfonyl-
methyl-amino)-benzofuran-3-carboxylic acid methylamide;
5-(3,5-dimethoxy-benzyloxy)-2-(4-fluoro-phenyl)-6-
(methanesulfonyl-methyl-amino)-benzofuran-3-carboxylic acid
methylamide;
```

```
2-(4-fluoro-phenyl)-5-(4-methanesulfonyl-benzyloxy)-6-
(methanesulfonyl-methyl-amino)-benzofuran-3-carboxylic acid
methylamide;
2-(4-fluoro-phenyl)-5-hydroxy-6-[methanesulfonyl-(2-oxo-propyl)-
amino]-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-5-[2-(4-
methoxy-phenyl)-2-oxo-ethoxy]-benzofuran-3-carboxylic acid
methylamide;
5-(3-cyano-benzyloxy)-2-(4-fluoro-phenyl)-6-(methanesulfonyl-
methyl-amino)-benzofuran-3-carboxylic acid methylamide;
5-(4-cyano-benzyloxy)-2-(4-fluoro-phenyl)-6-(methanesulfonyl-
methyl-amino)-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro phenyl)-5-methoxy-6-(2H-[1,2,4]triazol-3-yl)-
benzofuran 3-carboxylic acid methylamide;
4-{2-[2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-3-
methylcarbamoyl-benzofuran-5-yloxy]-acetylamino}-benzoic acid
ethyl ester;
2-(4-fluoro-phenyl)-5-[2-(4-fluoro-phenyl)-2-oxo-ethoxy]-6-
(methanesulfonyl-methyl-amino)-benzofuran-3-carboxylic acid
methylamide;
6-(benzyl-methanesulfonyl-amino)-2-(4-fluoro-phenyl)-5-
isopropoxy-benzofuran-3-carboxylic acid methylamide;
4-chloro-6-(ethyl-methyl-amino)-2-(4-fluoro-phenyl)-5-methoxy-
benzofuran-3-carboxylic acid methylamide;
4-chloro-6-ethylamino-2-(4-fluoro-phenyl)-5-methoxy-benzofuran-
3-carboxylic acid methylamide;
6-ethylamino-2-(4-fluoro-phenyl)-5-hydroxy-benzofuran-3-
carboxylic acid methylamide;
5-(3-bromo-propoxy)-6-ethylamino-2-(4-fluoro-phenyl)-benzofuran-
3-carboxylic acid methylamide;
5-allyloxy-6-ethylamino-2-(4-fluoro-phenyl)-benzofuran-3-
carboxylic acid methylamide;
```

```
5-(3-ethoxy-propoxy)-6-ethylamino-2-(4-fluoro-phenyl)-
benzofuran-3-carboxylic acid methylamide;
2-[2-(4-fluoro-phenyl)-5-methoxy-3-methylcarbamoyl-benzofuran-6-
yl] pyrrolidine-1-carboxylic acid amide;
2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-5-(2-oxo-
propoxy) -benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-(2-hydroxy-propoxy)-6-(methanesulfonyl-
methyl-amino)-benzofuran-3-carboxylic acid methylamide;
2 (4-fluoro-phenyl) 6 (methanesulfonyl-methyl-amino) 5 (1-
methyl-1H-tetrazol-5-ylmethoxy)-benzofuran 3-carboxylic-acid
methylamide;
2-(4-fluoro-phenyl)-6 (5-isopropoxymethyl-isoxazol-3-yl)-5-
methoxy benzofuran 3 carboxylic acid methylamide;
5 (5-diethylamino [1,2,4]thiadiazol-3-ylmethoxy) 2 (4-fluoro-
phenyl) 6 (methanesulfonyl-methyl amino) benzofuran-3-carboxylic
acid methylamide;
5 [5-(cyclopropylmethyl amino)-[1,2,4]thiadiazol-3-ylmethoxy] 2-
(4 fluoro-phenyl) 6 (methanesulfonyl-methyl-amino) benzofuran 3-
carboxylic acid methylamide;
6-(2-amino-1-hydroxy-1-methyl-ethyl)-2-(4-fluoro-phenyl)-5-
isopropoxy-benzofuran-3-carboxylic acid methylamide;
6-(1-amino-1-methyl-ethyl)-2-(4-fluoro-phenyl)-5-isopropoxy-
benzofuran-3-carboxylic acid methylamide;
2-[2 (4-fluoro-phenyl)-5 methoxy-3-methylcarbamoyl-benzofuran-6-
yl] pyrrolidine-1 carboxylic-acid methylamide;
6 (3,5 dimethyl isoxazol 4 yl) 2 (4 fluoro phenyl) 5 methoxy
benzofuran-3 carboxylic acid-ethylamide;
6-(3,5 dimethyl isoxazol 4-yl)-2-(4-fluoro phenyl) 5-methoxy
benzofuran 3 carboxylic acid isopropylamide;
6-(3,5-dimethyl-isoxazol 4 yl) 2-(4 fluoro-phenyl) 5-methoxy
benzofuran-3 carboxylic acid cyclopropylamide;
2-(4 fluoro-phenyl)-5 isopropoxy-6 (5 methyl-2 oxo-oxazolidin-5
v1) - benzofuran - 3 - carboxylic acid-methylamide;
```

```
[2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-3-
methylcarbamoyl-benzofuran-5-yloxy]-acetic acid tert-butyl
ester;
2-(4 fluoro-phenyl)-5-methoxy-6-(5-methyl-2H-[1,2,4]-triazol-3-
yl)-benzofuran-3-carboxylic acid methylamide;
6-(1-amino-1-methyl-ethyl)-2-(4-fluoro-phenyl)-5-methoxy-
benzofuran-3-carboxylic acid methylamide;
6-(1-acetylamino-1-methyl-ethyl)-2-(4-fluoro-phenyl)-5-methoxy-
benzofuran-3-carboxylic acid methylamide;
[2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-3-
methylcarbamoyl-benzofuran-5-yloxy]-acetic acid;
6 (2,5-dimethyl-2H-[1,2,4]triazol-3 yl) 2 (4 fluoro-phenyl) 5-
methoxy-benzofuran-3-carboxylic acid methylamide;
2 (4 fluoro phenyl) 6 (methanesulfonyl methyl amino) 5 (thiazol-
2-ylmethoxy) benzofuran 3 carboxylic acid methylamide;
2 (4 fluoro phenyl) 5 methoxy 6 (4 methyl 2,5 dioxo
imidazolidin 4-yl)-benzofuran 3-carboxylic acid-methylamide;
2-(4-fluoro-phenyl)-6-(1-methanesulfonylamino-1-methyl-ethyl)-5-
methoxy-benzofuran-3-carboxylic acid methylamide;
5-(6-bromomethyl-pyridin-2 ylmethoxy)-6-[(6 bromomethyl pyridin-
2-ylmethyl)-methanesulfonyl-amino] 2 (4-fluoro-phenyl)-
benzofuran-3-carboxylic acid-methylamide;
2 [2 (4 fluoro phenyl) 6 (methanesulfonyl methyl amino) 3
methylcarbamoyl-benzofuran-5-yloxymethyl]-thiazole-4-carboxylic
acid ethyl ester;
2-[2 (4 fluoro phenyl) 6 (methanesulfonyl methyl amino) 3-
methylearbamoyl-benzofuran 5 yloxymethyl}-thiazole-4-earboxylie
acid;
6-dimethylamino-2-(4-fluoro-phenyl)-5-methoxy-benzofuran-3-
carboxylic acid methylamide;
5-cyanomethoxy-2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-
amino)-benzofuran-3-carboxylic acid methylamide;
```

```
2 (4 fluoro phenyl) 6 (methanesulfonyl methyl amino) 5 (5
methyl isoxazol 3 ylmethoxy) benzofuran 3 carboxylic acid
methylamide;
5 (5 chloro-[1,2,3]thiadiazol 4 ylmethoxy) 2 (4 fluoro phenyl) -
6 - (methanesulfonyl-methyl-amino) - benzofuran - 3 - carboxylic - acid
methylamide;
2 (4 fluoro phenyl) 6 (methanesulfonyl methyl amino) 5 (1-
methyl 1H-imidazol-2 ylmethoxy)-benzofuran-3 carboxylic-acid
methylamide;
5 (1 benzyl 1H imidazol 2 ylmethoxy) 2 (4 fluoro-phenyl) 6-
(methanesulfonyl methyl amino) benzofuran 3 carboxylic acid
methylamide;
2 (2,4-difluoro-phenyl)-6-(3,5-dimethyl-isoxazol-4-yl)-5-
methoxy-benzofuran-3 carboxylic acid methylamide;
6-(3,5 dimethyl-isoxazol-4-yl) 2-(4-fluoro-phenyl) 5-(thiazol-4-
ylmethoxy) benzofuran-3 carboxylic acid methylamide;
5 (5 amino 4H-[1,2,4]triazol-3-ylmethoxy) 2 (4-fluoro-phenyl) 6-
(methanesulfonyl-methyl-amino)-benzofuran-3 carboxylic acid
methylamide;
5 (4-chloro-1-methyl-1H-pyrazol 3 ylmethoxy) 2 (4-fluoro-
phenyl)-6 (methanesulfonyl-methyl-amino) benzofuran-3-carboxylic
acid methylamide;
2 (4-fluoro-phenyl) 6-(methanesulfonyl-methyl-amino) 5 (2-
pyrazol-1 yl-ethoxy) benzofuran 3 carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-(1H-imidazol-2-ylmethoxy)-6-
(methanesulfonyl-methyl-amino) benzofuran 3 carboxylic acid
methylamide;
6-(2,5-dioxo-imidazolidin-4-yl)-2-(4 fluoro-phenyl)-5-methoxy-
benzofuran-3-carboxylic-acid-methylamide;
5 (3,5 dimethyl isoxazol 4 yl) 2 (4 fluoro phenyl) 6
methanesulfonylamino-benzofuran-3-carboxylic acid methylamide;
2 (4 fluoro phenyl) 6 (methanesulfonyl methyl amino) 5 (1-
thiazol 2 yl ethoxy) benzofuran 3 earboxylic acid methylamide;
```

```
6 (3,5 dimethyl isoxazol 4 yl) 2 (4 fluoro phenyl) 5 (5 methyl-
isoxazol 3 ylmethoxy) benzofuran 3 carboxylic acid methylamide;
6-(3,5-dimethyl-isoxazol 4-yl) 2-(4-fluoro-phenyl) 5 (thiazol-2-
ylmethoxy) benzofuran 3 carboxylic acid methylamide;
6-acetyl-2-(4-fluoro-phenyl)-benzofuran-3-carboxylic acid
methylamide;
2-(4-fluoro-phenyl)-5-(2-hydroxy-2-methyl-propoxy)-6-
 (methanesulfonyl-methyl-amino)-benzofuran-3-carboxylic acid
methylamide;
5-diethylcarbamoylmethoxy-2-(4-fluoro-phenyl)-6-
 (methanesulfonyl-methyl-amino)-benzofuran-3-carboxylic acid
methylamide;
6 (3,5 dimethyl isoxazol 4 yl) 5 ethoxy 2 (4 fluoro phenyl)
benzofuran-3-carboxylic-acid methylamide;
2-(4 fluoro-phenyl)-6-(methanesulfonyl-methyl-amino) 5 (thiazol-
2-ylearbamoylmethoxy) benzofuran 3 carboxylic acid methylamide;
2 (4-fluoro phenyl) 6 (methanesulfonyl methyl amino) 5-
([1,3,4]thiadiazol-2-ylcarbamoylmethoxy)-benzofuran-3-carboxylic
acid methylamide;
5 [(4,5 dimethyl thiazol 2 ylearbamoyl) methoxy] 2 (4 fluoro
phenyl) -6 (methanesulfonyl methyl amino) benzofuran 3 carboxylic
acid methylamide;
5-cyclopropy1-2-(4-fluoro-pheny1)-6-methanesulfonylamino-
benzofuran-3-carboxylic acid methylamide;
5-[2-(4-cyano-piperidin-1-yl)-cthoxy]-6-(3,5-dimethyl-isoxazol-
4-y1) 2 (4 fluoro phenyl) benzofuran 3 carboxylic acid
methylamide;
2 (4-fluoro-phenyl) 6-methanesulfonylamino-5-thiophen 2-yl-
benzofuran 3 carboxylic acid-methylamide;
2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-5-
methylcarbamoylmethoxy-benzofuran-3-carboxylic acid methylamide;
```

```
2-(4-fluoro-phenyl)-5-(1-hydroxymethyl-cyclopropylmethoxy)-6-
[(1-hydroxymethyl-cyclopropylmethyl)-methanesulfonyl-amino]-
benzofuran-3-carboxylic acid methylamide;
6-diethylamino-5-ethoxy-2-(4-fluoro-phenyl)-benzofuran-3-
carboxylic acid methylamide;
5-carbamoylmethoxy-2-(4-fluoro-phenyl)-6-(methanesulfonyl-
methyl-amino)-benzofuran-3-carboxylic acid methylamide;
5 [2 (3,5 dimethyl pyrazol 1 yl) ethoxy] 2 (4 fluoro phenyl) 6
(methanesulfonyl-methyl-amino) benzofuran 3 carboxylic-acid
methylamide;
2-(4-fluoro-phenyl) 5-furan 2-yl-6-methanesulfonylamino-
benzofuran 3 carboxylic acid methylamide;
6-(3,5 dimethyl isoxazol 4-yl) 2-(4 fluoro-phenyl) 5-(1 methyl-
1H tetrazol 5-ylmethoxy)-benzofuran-3 carboxylic acid
methylamide;
5-cyclopropylmethoxy-6-(3,5 dimethyl isoxazol 4 yl) 2 (4-fluoro-
phenyl) benzofuran-3-carboxylic-acid methylamide;
6 (3,5-dimethyl-isoxazol-4-yl) 5 (3,5-dimethyl-isoxazol-4-
ylmethoxy) -2 (4-fluoro phenyl) benzofuran 3 carboxylic acid
methylamide;
2 (4 fluoro-phenyl) 5 methoxy 6 (5 methyl-[1,3,4]oxadiazol 2-
y1) -benzofuran-3-carboxylic acid methylamide;
6 (3-cyano-4-hydroxy-2-oxo-2,5-dihydro-pyrrol-1-ylmethyl)-2 (4-
fluoro phenyl) 5 methoxy benzofuran 3 carboxylic acid
methylamide;
4-chloro-6-[ethyl-(2-methoxy-acetyl)-amino]-2-(4-fluoro-phenyl)-
5-methoxy-benzofuran-3-carboxylic acid methylamide;
6-(3,5-dimethyl-isoxazol 4 yl) 2-(4-fluoro-phenyl) 5-(2-
morpholin 4-yl-ethoxy) -benzofuran 3-carboxylic acid methylamide;
6 (3,5 dimethyl isoxazol 4 yl) 2 (4 fluoro phenyl) 5 (3
piperidin 1 yl propoxy) benzofuran 3 carboxylic acid
methylamide;
```

```
2 (4 fluoro-phenyl) 5 (thiazol 4-ylmethoxy) benzofuran 3-
carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-(2-hydroxy-acetyl)-5-methoxy-benzofuran-3-
carboxylic acid methylamide;
5-cyclopropy1-2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-
amino)-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-hydroxy-6-[(2-hydroxy-propyl)-
methanesulfonyl-amino]-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-[(2-hydroxy-propyl)-methanesulfonyl-
amino]-5-methoxy-benzofuran-3-carboxylic acid methylamide;
6 (1-acetyl-pyrrolidin-2-yl) 5-ethyl-2 (4-fluoro-phenyl)-
benzofuran-3 carboxylic acid methylamide;
2-(4-fluoro-phenyl) 6-methanesulfonylamino 5-(tetrahydro-furan-
2 v1) -benzofuran 3 -carboxylic acid methylamide;
2 (4-fluoro phenyl)-5-methoxy-6-(tetrahydro-furan-3-yl)-
benzofuran 3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-(methanesulfonyl-methoxymethyl-amino)-5-
propoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-hydroxy-6-(methanesulfonyl-methoxymethyl-
amino)-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-methanesulfonylamino-5-propoxy-benzofuran-
3-carboxylic acid methylamide;
5-(4-cyano-benzyloxy)-2-(4-fluoro-phenyl)-6-(methanesulfonyl-
methoxymethyl-amino)-benzofuran-3-carboxylic acid methylamide;
5-(3-cyano-benzyloxy)-2-(4-fluoro-phenyl)-6-(methanesulfonyl-
methoxymethyl-amino)-benzofuran-3-carboxylic acid methylamide;
6 (1-cyclopropanecarbonyl pyrrolidin-2-yl)-2-(4-fluoro-phenyl)-
5 isopropoxy benzofuran 3 carboxylic acid methylamide;
2 (4 fluoro phenyl) 5 methoxy 6 [1,3,4] oxadiazol 2-yl
benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-5-thiophen-
2-yl-benzofuran-3 carboxylic-acid methylamide; and
```

2-(4-fluoro-phenyl)-6-{[2-(4-fluoro-phenyl)-2-hydroxy-ethyl]-methanesulfonyl-amino}-5-hydroxy-benzofuran-3-carboxylic acid methylamide; and pharmaceutically acceptable salts thereof.

(Currently amended) The composition according to 15. claim 13, wherein the compound is selected from the group consisting of 2 (4 fluoro-phenyl) 5 methoxy 6 morpholin 4 ylbenzofuran-3-carboxylic-acid-methylamide; 2 (4 fluoro phenyl)-5isopropoxy 6-morpholin 4-yl-benzofuran-3 carboxylic acid methylamide; 2-(4-fluoro-phenyl)-5-isopropoxy- 6methanesulfonylamino-benzofuran-3-carboxylic acid methylamide; 2-(4-fluoro-phenyl)-5-isopropoxy-6-[(2-methoxy-ethyl)-methylamino]-benzofuran-3-carboxylic acid methylamide; 5-benzyloxy-2-(4-fluoro-phenyl)-6 morpholin-4 yl-benzofuran-3 carboxylic acid methylamide; 2 (4-fluoro phenyl)-6-[(furan 3-ylmethyl) amino] 5isopropoxy benzofuran 3 carboxylic acid methylamide; 6-(3,5dimethyl-isoxazol-4-yl) 2-(4-fluoro-phenyl)-5 methoxybenzofuran-3-carboxylic acid methylamide; 5-cyclopropy1-2-(4fluoro-phenyl)-6-[(2-hydroxy-ethyl)-methanesulfonyl-amino]benzofuran-3-carboxylic acid methylamide; 6 (3,5 dimethylisoxazol-4 yl)-2 (4 fluoro-phenyl)-5-(3 hydroxy propoxy)benzofuran 3-carboxylic acid methylamide; -5-ethoxy-2-(4-fluorophenyl)-6-(methanesulfonyl-methyl-amino)-benzofuran-3-carboxylic acid methylamide; 2-(4-fluoro-phenyl)-6-[(2-hydroxy-ethyl)methanesulfonyl-amino]-5-methoxy-benzofuran-3-carboxylic acid methylamide; 5-ethyl-2-(4-fluoro-phenyl)-6-[(2-hydroxy-ethyl)methanesulfonyl-amino]-benzofuran-3-carboxylic acid methylamide; 2-(4 fluoro-phenyl) 6 [4-(2 hydroxy-ethyl) isoxazol-3-yl]-5methoxy-benzofuran 3 carboxylic acid methylamide; and pharmaceutically acceptable salts thereof.

## 16. (Canceled)

- 17. (Original) A method for prophylaxis or treatment of hepatitis C infections and diseases associated with such infections in a living host having said infections, said method comprising administering to said living host a therapeutically effective amount of a compound according to claim 1.
- 18. (Original) The method according to claim 17, wherein said living host is a mammal.
- 19. (Original) The method according to claim 17, wherein said living host is a human.
- 20. (Original) The method according to claim 19, wherein the compound is administered orally.
- 21. (Original) The method according to claim 20, wherein the compound is administered orally at a dose range of about 0.05 to about 100 mg/kg.
- 22. (Original) The method according to claim 17, wherein the compound is administered from 1 to 4 times daily.

## 23.-26. (Canceled)

27. (Original) A method for prophylaxis or treatment of hepatitis C infections and diseases associated with such infections in a living host having said infections, said method

comprising administering to said living host a therapeutically effective amount of a compound selected from the group consisting of 5-methoxy-2-phenyl-benzofuran-3-carboxylic acid methylamide and 5-hydroxy-2-phenyl-benzofuran-3-carboxylic acid methylamide.